### DEPARTMENT OF LABOR AND INDUSTRIAL RELATIONS

Amendments to Chapters 12-64.1, 12-73.1, 12-74.1, 12-77.1, 12-97.1, 12-128.1, 12-133.2, 12-134.1, 12-145.1, 12-146, 12-147, 12-148.1, 12-156, 12-170, 12-180, 12-190, 12-200.1, 12-202, 12-205.1, and 12-206

#### DATE

- 1. Section 12-64.1-1, Hawaii Administrative Rules, is amended to read as follows:
- "\$12-64.1-1 Incorporation of federal standard. Title 29, Code of Federal Regulations, Subpart I, entitled "Personal Protective Equipment", published by the Office of the Federal Register, National Archives and Records Administration, on June 27, 1974; and the amendments published on October 24, 1978; February 10, 1984; April 6, 1984; June 30, 1993; January 31, 1994; April 6, 1994; June 30, 1994; July 1, 1994; March 7, 1996; May 2, 1996; May 9, 1996; January 8, 1998; April 23, 1998; [and] August 4, 2004[,]; and April 3, 2006, are made a part of this chapter." [Eff 9/30/94; am 8/10/95; 11/16/96; am 2/8/97; am 7/6/98; am 3/29/99; 05/05/05; am 9/01/05; am [(Auth: HRS §396-4)]
- 2. Section 12-73.1-2, Hawaii Administrative Rules, is amended to read as follows:
- "§12-73.1-2 Incorporation of federal standard. Title 29, Code of Federal Regulations, Subpart N, entitled "Materials Handling and Storage", published by the Office of the Federal Register, National Archives and Records Administration, on October 18, 1972; and the amendments published on June 1, 1973; June 27, 1974; March 26, 1975; May 28, 1975; June 27, 1975; July 28, 1975; March 30, 1976; October 24, 1978; February 3, 1984; February 10, 1984; September 29, 1986; September 25, 1987; April 12, 1988; September 8, 1988; August 6, 1990; June 30, 1993; March 7, 1996; June 18, 1998; December 1, 1998; and September 30, 2005[,]; and April 3, 2006, are made part of this chapter, except as provided in section 12-73.1-1.

Note: 29 CFR 1910.178 Powered industrial trucks, shall not apply to agricultural operations." [Eff 12/29/01; am 3/31/06; am ](Auth: HRS §396-4)(Imp: HRS §396-4)

- 3. Section 12-74.1-1, Hawaii Administrative Rules, is amended to read as follows:
- "\$12-74.1-1 Incorporation of federal standard. Title 29, Code of Federal Regulations, Subpart H, entitled "Hazardous Materials", published by the Office of the Federal Register, National Archives and Records Administration, on June 27, 1974; and the amendments published on January 27, 1975; June 2, 1975; October 24, 1978; November 7, 1978; September 12, 1980; September 7, 1982; February 10, 1984; September 29, 1986; April 12, 1988; March 6, 1989; April 13, 1990; June 20, 1990; August 6, 1990; April 18, 1991; February 24, 1992; March 4, 1992; June 30, 1993; August 22, 1994; March 7, 1996; January 8, 1998; June 18, 1998; March 23, 1999; June 8, 2004; [and] September 13, 2005[,]; and April 3, 2006, are made part of this chapter." [Eff 12/29/01; am 5/21/04; am 5/5/05; 3/31/06; am ] (Auth: HRS §396-4) (Imp: HRS §396-4)
- 4. Section 12-77.1-1, Hawaii Administrative Rules, is amended to read as follows:
- "§12-77.1-1 Incorporation of federal standard. The following provisions of Title 29, Code of Federal Regulations, published by the Office of the Federal Register, National Archives and Records Administration, are made part of this chapter:
  - 1) Section 1910.265, entitled "Sawmills", published on
     June 27, 1974; and the amendments published on
     May 28, 1975; October 24, 1978; November 7, 1978;
     April 12, 1988; August 6, 1990; March 7, 1996; and
     June 18, 1998; [and,] September 13, 2005; and April 3,
     2006; and
  - 2) Section 1910.266, entitled "Logging Operations" published on October 12, 1994; and the amendments published on February 8, 1995; August 9, 1995; September 8, 1995; and March 7, 1996[; and September 13, 2005,], except as provided in section 12-77.1-2." [Eff 8/10/95; am 1/16/96; am 11/16/96; am 3/29/99; am 3/31/06; am ](Auth: HRS §396-4) (Imp: HRS §396-4)

- 5. Section 12-97.1-1, Hawaii Administrative Rules, is amended to read as follows:
- 6. Section 12-128.1-1, Hawaii Administrative Rules, is amended to read as follows:
- "§12-128.1-1 Incorporation of federal standard. Title 29, Code of Federal Regulations, Subpart Y, entitled "Diving", published by the Office of the Federal Register, National Archives and Records Administration, on June 30, 1993; and the amendments published on June 20, 1996[,]; and April 3, 2006, are made a part of this chapter, except as provided in section 12-128.1-2." [Eff 1/26/96; am 11/16/96; am ]

  (Auth: HRS §396-4) (Imp: HRS §396-4)
- 7. Section 12-133.2-6, Hawaii Administrative Rules, is amended by amending subsection (c) to read as follows:
- "(c) Walking/working surfaces[.] shear connectors and other similar devices.
  - [(1) Shear connectors and other similar devices.
  - (A)] (1) Tripping hazards. Shear connectors (such as headed steel studs, steel bars or steel lugs), reinforcing bars, deformed anchors or threaded studs shall not be attached to the top flanges of beams, joists or beam attachments so that they project vertically from or horizontally across the top flange of the member until after the metal decking, or other walking/working surface, has been installed.
  - [(B)](2) Installation of shear connectors on composite floors, roofs and bridge decks. When shear connectors are used in construction of composite floors, roofs and bridge decks, employees shall lay out and install the shear connectors after the metal decking has been installed, using the metal decking as a working platform. Shear connectors shall not be installed from within a

controlled decking zone (CDZ), as specified in section 12-133.2-12(b)(7).

- [(2) Slip resistance of metal decking. (Reserved)
- (3) Slip resistance of skeletal structural steel. Workers shall not be permitted to walk the top surface of any structural steel member installed after July 18, 2006 that has been coated with paint or similar material unless documentation or certification that the coating has achieved a minimum average slip resistance of .50 when measured with an English XL tribometer or equivalent tester on a wetted surface at a testing laboratory is provided. Such documentation or certification shall be based on the appropriate ASTM standard test method conducted by a laboratory capable of performing the test. The results shall be available at the site and to the steel erector. (Appendix B to this chapter references appropriate ASTM standard test methods that may be used to comply with this paragraph.)]" [Eff 1/10/03; am 1 (Auth: HRS §396-4) (Imp: HRS §396-4)

<u>Historical note:</u> Chapter 12-133.2 is based substantially upon chapter 12-133.1. [Eff 7/10/97; am 12/29/00; R 1/10/03]

8. Section 12-133.2-14, Hawaii Administrative Rules, is amended by amending Appendix B to read as follows:

"Appendix B [to Chapter 12-133.2] Reserved.

[Acceptable Test Methods for Testing Slip
Resistance of Walking/Working Surfaces
(Section 12-133.2-6(c)(3)).

Non-Mandatory Guidelines for Complying With Section
12-133.2-6(c)(3).

The following references provide acceptable test methods for complying with the requirements of section 12-133.2-6(c)(3).

Standard Test Method for Using a Portable Inclineable Articulated Strut Slip Tester (PIAST)(ASTM F1677-96)

Standard Test Method for Using a Variable Incidence Tribometer (VIT)(ASTM F1679-96)]" [Eff 1/10/03; am ] (Auth: HRS §396-4)(Imp: HRS §396-4)

9. Section 12-134.1-1, Hawaii Administrative Rules, is amended to read as follows:

- "§12-134.1-1 Incorporation of federal standard. Title 29,
  Code of Federal Regulations, Subpart S, entitled "Underground
  Construction, Caissons, Cofferdams, and Compressed Air",
  published by the Office of the Federal Register, National
  Archives and Records Administration, on February 9, 1979; and the
  amendments published on April 6, 1979; April 6, 1982; July 11,
  1986; June 2, 1989; June 30, 1993; [and] January 8, 1998[,]; and
  April 3, 2006, are made a part of this chapter, except as
  provided in section 12-134.1-2." [Eff 9/21/96; am 7/6/98; am
  ] (Auth: HRS §396-4) (Imp: HRS §396-4)
- 10. Section 12-145.1-1, Hawaii Administrative Rules, is amended to read as follows:
- "§12-145.1-1 Incorporation of federal standard. Title 29, Code of Federal Regulations, section 1926.58, entitled "Asbestos, tremolite, anthophyllite, and actinolite", published by the Office of the Federal Register, National Archives and Records Administration, on June 20, 1986; and the amendments published on October 17, 1986; April 30, 1987; May 12, 1987; July 20, 1988; September 14, 1988; June 7, 1989; July 21, 1989; December 20, 1989; February 5, 1990; August 24, 1990; December 10, 1990; June 8, 1992; June 30, 1992; August 10, 1994 (redesignated as section 1926.1101); February 21, 1995; March 1, 1995; June 28, 1995; June 29, 1995; July 13, 1995; September 29, 1995; August 23, 1996; January 8, 1998; April 23, 1998; June 29, 1998; [and] January 15, 2006[,]; and April 3, 2006, are made a part of this chapter, except as provided in section 12-145.1-2." [Eff 8/10/95; am 1/26/96; am 11/16/96; am 2/8/97; am 7/6/98; am 3/29/99; am 3/31/06; ] (Auth: HRS §396-4) (Imp: HRS §396-4) am
- 11. Section 12-146-1, Hawaii Administrative Rules, is amended to read as follows:
- "§12-146-1 Incorporation of federal standard. Title 29, Code of Federal Regulations, chapter 1926.60, entitled [Methylenedianiline]"Methylenedianiline", published by the Office of the Federal Register, National Archives and Records Administration, on August 10, 1992; and the amendments published on June 20, 1996; January 8, 1998; December 6, 2004; [and] January 5, 2005[,]; and April 3, 2006, are made a part of this chapter, except as provided in section 12-146-2." [Eff 2/26/93; am 11/16/96; am 7/6/98; am 9/01/05; am 3/31/06; am [(Auth: HRS §396-4) (Imp: HRS §396-4)
- 12. Section 12-147-1, Hawaii Administrative Rules, is amended to read as follows:
  - "§12-147-1 Incorporation of federal standard. Title 29,

Code of Federal Regulations, section 1926.63, entitled "Cadmium", published by the Office of the Federal Register, National Archives and Records Administration, on September 14, 1992, and the amendments published on April 23, 1993; January 3, 1994 (redesignated as section 1926.1127); June 20, 1996; January 8, 1998; [and] January 5, 2005 [,]; and April 3, 2006, are made a part of this chapter, except as provided in section 12-147-2." [Eff 2/26/93; am 11/5/93; am 7/25/94; am 8/10/95; am 11/16/96; am 7/6/98; am 3/31/06; am [] (Auth: HRS §3964) (Imp: HRS §396-4)

- 13. Section 12-148.1-1, Hawaii Administrative Rules, is amended to read as follows:
- "§12-148.1-1 Incorporation of federal standard. Title 29, Code of Federal Regulations, section 1926.62, entitled "Lead", published by the Office of the Federal Register, National Archives and Records Administration, on May 4, 1993, and the amendments as published on June 24, 1993; January 8, 1998; [and] January 5, 2005[,]; and April 3, 2006, is made a part of this chapter, except as provided in section 12-148.1-2."
  [Eff 11/5/93; am 8/10/95; am 7/6/98; am 3/31/06; am ] (Auth: HRS §396-4) (Imp: HRS §396-4)
- 14. Section 12-156-1, Hawaii Administrative Rules, is amended to read as follows:
- "§12-156-1 Incorporation of federal standard. Title 29, Code of Federal Regulations, Subpart W, entitled "Rollover Protective Structures; Overhead Protection", published by the Office of the Federal Register, National Archives and Records Administration, on December 30, 1971; and the amendments published on March 7, 1996[,]; December 29, 2005; and July 20, 2006, are made a part of this chapter." [Eff 9/21/96; am ] (Auth: HRS §396-4) (Imp: HRS §396-4)
- 15. Section 12-170-1, Hawaii Administrative Rules, is amended to read as follows:
- "\$12-170-1 Incorporation of federal standard. Title 29, Code of Federal Regulations, Part 1915 entitled "Occupational Safety and Health Standards for Shipyard Employment", published by the Office of the Federal Register, National Archives and Records Administration, on April 20, 1982; and the amendments published on April 30, 1984; July 7, 1986; September 29, 1986; August 24, 1987; April 27, 1988; February 15, 1989; June 7, 1989; September 14, 1992; October 30, 1992; April 23, 1993; January 3, 1994; February 9, 1994; July 19, 1994; July 25, 1994; August 10, 1994;

- December 22, 1994; February 21, 1995; March 16, 1995;
  June 28, 1995; June 29, 1995; July 13, 1995; September 29, 1995;
  February 13, 1996; March 7, 1996; May 24, 1996; June 13, 1996;
  June 20, 1996; August 23, 1996; November 4, 1996;
  January 10, 1997; June 20, 1997; March 19, 1998; June 29, 1998;
  December 1, 1998; March 1, 1999; July 3, 2002;
  September 15, 2004; January 15, 2005; [and] March 21, 2005[,];
  February 28, 2006; and April 3, 2006, are made a part of this chapter." [Eff 3/23/01; am 1/10/03; am 9/1/05; am 3/31/06; am ] (Auth: HRS §396-4)
- 16. Section 12-180-1, Hawaii Administrative Rules, is amended to read as follows:
- 17. Section 12-190-1, Hawaii Administrative Rules, is amended to read as follows:
- 18. Section 12-200.1-2, Hawaii Administrative Rules, is amended to read as follows:
- **"§12-200.1-2 Incorporation of federal standard**. Title 29, Code of Federal Regulations, section 1910.95, entitled "Occupational Noise Exposure", published by the Office of the

Federal Register, National Archives and Records Administration, on June 27, 1974; and the amendments published on January 16 1981; December 29, 1981; March 8, 1983; June 28, 1983; June 7, 1989; [and] March 7, 1996[,]; and April 3, 2006, are made a part of this chapter, except as provided in section 12-200.1-1." [Eff 12/29/01; am l(Auth: HRS §396-4) (Imp: HRS §396-4)

19. Section 12-202-3.1, Hawaii Administrative Rules, is amended to read as follows:

- "§12-202-3.1 Access to employee exposure and medical records. (a) Incorporation of federal standard. Title 29, Code of Federal Regulations, section 1910.1020, entitled "Access to employee exposure and medical records", published by the Office of the Federal Register, National Archives and Records Administration, on September 29, 1988; and the amendments published on December 13, 1988; June 7, 1989; June 28, 1990; March 7, 1996, and redesignated June 20, 1996[,] are made a part of this section, except as provided in subsection (b).
- (b) Definitions. As used in 29 CFR section 1910.1020 and applied to this section: "§1913.10" means chapter 12-55." [Eff 12/29/00; am ] (Auth: HRS §396-4) (Imp: HRS §396-4)
- 20. Section 12-202-4.02, Hawaii Administrative Rules, is amended to read as follows:

"TABLE 202-1 Limits for Air Contaminants1

		Air Contaminant Limits**							
Substance	CAS No. b	PEL	-TWA*	PEL-	-STEL <sup>a</sup>	PEL-CEILING		Skin Desig- nation	
		ppm <sup>c</sup>	Mg/m <sup>3d</sup>	$ppm^c$	Mg/m <sup>3d</sup>	$ppm^c$	Mg/m <sup>3d</sup>		
Acetaldehyde	75-07-0	100	180	150	270	_	=	-	
Acetic acid	64-19-7	10	25	15	37	-	-	_	
Acetic anhydride	108-24-7	-	-	-	-	5	20	-	
Acetone	67-64-1	750	1,780	1,000	2,375	-	-	-	
Acetonitrile	75-05-8	40	70	60	105	_	_	Х	
2-Acetylaminofluorene	53-96-3	See §12-202-14.1							
Acetylene dichloride		See 1,2-Dichloroethylene							
Acetylene ttrabromide	79-27-6	1 14 1.5 20					_	_	
Acetylsalicylic acid	50-78-2	-	5	_	-	_	-	-	
(Aspirin)									
Acrolein	107-02-8	0.1	0.25	0.3	0.8	-	-	-	
Acrylamide	79-06-1	-	0.03	_	-	_	-	Х	
Acrylic acid	79-10-7	2	6	_		_	-	Х	
Acrylonitrile	107-13-1	See §12	-202-30	•	•		•		
Aldrin	309-00-2	-	0.25	-	0.75	-	-	Х	
Allyl alcohol	107-18-6	2	5	4	10	-	-	Х	
Allyl chloride	107-05-1	1	3	2	6	-	-	_	
Allyl glycidyl ether	106-92-3	5	22	10	44	-	-	Х	

		1	l	ĺ	I	I	[
2179-59-1	2	12	3	18	-	-	_
1344-28-1							
	-	10	-	20	-	-	-
	-	5	-	-	-	-	_
	-	10	-	20	-	-	_
	-	5	-	-	-	-	-
	-	5	-	-	-	-	-
	_	5	-	-	-	-	_
	-	2	-	-	-	-	_
	-	2	-	-	-	-	_
92-67-1	See §12-	202-14.1	-	•	•		•
	See Etha	nolamine	3				
504-29-0	0.5	2	2	4	-	-	-
61-82-5	-	0.2	-	-	-	-	
7664-41-7	25	18	35	27	_	-	-
12125-02-9	=	10	-	20	-	-	_
7773-06-0							
	_	10	_	20	_	_	_
	=	5	_	_	_	_	_
628-63-7	100	525	150	800	_	_	_
					_	_	_
						_	Х
		-	_	_			X
27171 32 1	0.1	0.5					21
7440-36-0	_	0.5	_	_	_	_	_
7110 30 0		0.5					
1309-64-4							
1309-04-4		0.5	_	_	_	_	
		0.5					
86-88-4	_	0.3	_	n a	_	_	<u> </u>
00-00-1		0.3		0.9			
7440-20-2		0.2					
7440-36-2		0.2					
7440 20 2	Coo 810	202 202	21				
7440-30-2	See 912-	202-202-	. 2 T				
7704 40 1	0.05	0 0	1	1	1	1	1
			-	_	_	_	_
8052-42-4	_	5	-	10	_	_	[-
1000000							
			-	-	-	-	-
	-			0.6		-	Х
7440-39-3	-	0.5	-	-	-	-	-
7727-43-7		10					
	1344-28-1  92-67-1  504-29-0 61-82-5 7664-41-7 12125-02-9  7773-06-0  628-63-7 626-38-0 62-53-3 29191-52-4  7440-36-0  1309-64-4  86-88-4  7440-38-2  7784-42-1  Varies 8052-42-4  1912-24-9 86-50-0	1344-28-1	1344-28-1  - 10 - 5  - 10 - 5  - 5 - 5 - 5 - 2 - 2 - 2  92-67-1  See §12-202-14.1  See Ethanolamine  504-29-0  0.5  61-82-5 - 0.2  7664-41-7  125 18  12125-02-9 - 10  7773-06-0 - 10 - 5  628-63-7 100 525  626-38-0 125 650  62-53-3 2 8  29191-52-4 0.1 0.5  7440-36-0 - 0.5  1309-64-4 - 0.5  86-88-4 - 0.3  7440-38-2 - 0.2  7784-42-1 0.05 0.2  784-42-1 0.05 0.2  784-42-1 0.05 0.2  784-42-1 0.05 0.2  784-42-1 0.05 0.2  784-42-1 0.05 0.2  784-42-1 0.05 0.2  784-42-1 0.05 0.2	1344-28-1	1344-28-1 - 10 - 20 - 5 10 - 20 - 5 5 5 5 5 2 5 61-82-5 - 0.2 7664-41-7 25 18 35 27 - 12125-02-9 - 10 - 20 - 5 10 - 20 - 5 20 - 5 20 - 7773-06-0 - 10 - 20 - 5 20 - 5 20 - 5 20 - 5 20 - 5 20 - 5 20 - 5 20 - 5 20 - 5 20 - 5 20 - 5 20 - 7440-36-0 - 0.5 20 - 20 - 20 - 20 - 20 - 20 -	1344-28-1  - 10 - 20	1344-28-1

Respirable fraction		-	5	-	-	-	_	-
Benomy	117804-35-2							
Total dust		0.8	10	1.3	15	-	_	_
Respirable fraction		5	_	_	_	-	_	
Benzene; see §12-202-36	71-43-2	See Tab	le 202-2	for ope	rations	exclude	d	1
Benzidine	92-87-5	See §12	-202-14.	1				
p-Benzoquinone		See Qui	none					
Benzo(a)pyrene		See Coa	l tar pi	tch vola	tiles			
Benzoyl peroxide	94-36-0	-	5	-	=	=	-	-
Benzyl chloride	100-44-7	1	5	-	-	-	-	-
Beryllium and	7440-41-7	0.002		0.005		0.025		-
beryllium								
compounds (as Be)		(See Ta	ble 202-	2)				
Biphenyl		See Dip	henyl	•		•		
Bismuth telluride,								
Undoped	1304-82-1							
Total dust		-	10	-	20	-	_	-
Respirable fraction			5	-	-	-	_	_
Bismuth telluride,								
Se-doped		-	5	-	10	-	_	_
Borates, tetra,								
sodium salts								
Anhydrous	1330-43-4	-	1	-	-	-	_	_
Decahydrate	1303-96-4	-	5	-	-	_	-	_
Pentahydrate	12179-04-3	=	1	-	-	-	_	-
Boron oxide	1303-86-2							
total dust		-	10	-	20	-	-	-
Respirable fraction	-	-	-		-	-	-	
Boron tribromide	10294-33-4	-	_	-	_	1	10	_
Boron trifluoride	7637-07-02	-	_	_	_	1	3	_
Bromacil	314-40-9	1	10	2	20	_	_	_
Bromine	7726-95-6	0.1	0.7	0.3	2	=	_	-
Bromine pentafluoride	7789-30-2	0.1	0.7	0.3	2	-	-	-
Bromoform	75-25-2	0.5	5	-	-	-	-	Х
Butadiene (1,3-	106-99-0	See §12	-202-40	•	•		•	•
Butadiene)								
Butane	106-97-8	800	1,900	-	-	-	-	-
Butanethiol		See But	yl merca	ptan				
2-Butanone (Methyl	8-93-3	200	590	300	885	-	_	-
ethyl ketone)(MEK)								
2-Butoxyethanol	111-76-2	25	120	75	360	-		Х
n-Butyl-acetate	123-86-4	150	710	200	950	-	-	_
sec-Butyl acetate	105-46-4	200	950	250	1,190	-	-	-
tert-Butyl acetate	540-88-5	200	950	250	1,190	-	-	_
Butyl acrylate	141-32-2	10	55	-	-	-	-	-
n-Butyl alcohol	71-36-3	-	-	-	_	50	150	Х
sec-Butyl alcohol	78-92-2	100	305	150	455	-	-	-
tert-Butyl alcohol	75-65-0	100	300	150	450	-	-	-
Butylamine	109-73-9	-	-	-	_	5	15	Х
					1	·	1	1

Gas CrOp.]	[tert-Butyl chromate	1189-85-1	_				=	0.1	Х
n-Butyl glycidyl ether (MGG)  n-Butyl lactate 138-22-7									
Rebuy  lactate	(as CrO <sub>3</sub> )	1189-85-1	See §12-	-202-42 a	and §12	-157-1			
n-Butyl lactate   138-22-7   5   25   -   -   -   -	n-Butyl glycidyl ether	8-6-2426	25	135	_	-		_	-
Butyl mercaptan   109-79-5   0.5   1.5   -   -   -   -   -	(BGE)								
o-sec Butylphenol 89-72-5 5 30 X p-tert-Hutyltoluene 98-51-1 10 60 20 120 X Cadmium fume (as Cd) 7440-43-9 0.05 0.05 0.05 0.05 0.05 0.05 0.05 0.05 0.05 0.05 0.05 0.05	n-Butyl lactate	138-22-7	5	25	_	-	-	_	-
Description	Butyl mercaptan	109-79-5	0.5	1.5	_	-	_	_	_
Cadmium fume (as Cd) 7440-43-9 0.05 0.05 0.05 0.05 0.05 0.22 0.22	o-sec Butylphenol	89-72-5	5	30	-	-	-	_	Х
Calcium dust (as Cd) 7440-43-9 - 0.05 0.2 - Calcium carbonate 1317-65-3	p-tert-Butyltoluene	98-51-1	10	60	20	120	_	_	_
Calcium carbonate	Cadmium fume (as Cd)	7440-43-9	-	-	-	-	-	0.05	-
Total dust Respirable fraction	Cadmium dust (as Cd)	7440-43-9	-	0.05	_	-	_	0.2	_
Respirable fraction	Calcium carbonate	1317-65-3							
Calcium cyanamide 156-62-7 - 0.5 - 1 Calcium hydroxide 1305-62-0 - 5	Total dust		-	10	-	20	-	=	=
Calcium hydroxide 1305-62-0 - 5	_		-	5	_	-	-	-	_
Calcium oxide 1305-78-8 - 2	Calcium cyanamide	156-62-7	-	0.5	-	1	-	=	=
Calcium silicate Total dust Respirable fraction Total dust Respirable fraction Total dust Respirable frac	Calcium hydroxide	1305-62-0	-	5	-	-	-	-	_
Total dust Respirable fraction - 5	Calcium oxide	1305-78-8	-	2	-	-	-	-	_
Respirable fraction - 5	Calcium silicate	1344-95-2							
Calcium sulfate Total dust Respirable fraction  Camphor, synthetic  Total dust Vapor & Aerosol  Captafol (DifolatanR)  Carbon Y (SevinR)  Carbon dioxide  124-38-9  Carbon dioxide  124-38-9  Carbon monoxide  Carbon tetrabromide  Carbon tetrabromide  55-23-5  Carbonyl fluoride  55-24-5  Carbonyl fluoride  55-25-5  Carbonyl fluoride  55-26-5  Carbondioxide  124-38-9  Carbonyl fluoride  55-3-5  Carbonyl fluoride  55-3-5  Carbonyl fluoride  55-3-5  Carbondioxide  120-6-2  Days Aerosol  Carbon tetrachloride  56-2-5  Carbon tetrachloride  56-2-5  Carbonyl fluoride  56-3-5  Carbonyl fluoride  56-3-5  Carbonyl fluoride  56-3-5  Carbonyl fluoride  56-3-5  Carbonyl fluoride  57-74-9  Collulose  Total dust  Respirable fraction  Casium hydroxide  57-74-9  Collorinated camphene  8001-35-2  Collorinated diphenyl  55720-99-5  Collorinated diphenyl  55720-99-5  Col. 3  Carbon on 5  Carbon in the carbon in t	Total dust		-	10	-	-	-	=	=
Total dust Respirable fraction  - 10	Respirable fraction	-	5	_	_	-	-	_	
Respirable fraction		7778-18-9							
Camphor, synthetic 76-22-2 0.3 2	Total dust		-		-	-	-	-	-
Dust	Respirable fraction		-		-	-	-	-	-
Dust	Camphor, synthetic	76-22-2	0.3	2	-	-	-	-	-
Vapor & Aerosol         5         20         40         -	_	105-60-2							
Captafol (DifolatanR) 2425-06-01 - 0.1			-		_		-	_	_
Captan         133-06-2         -         5         -         15         -					-		_	_	_
Carbaryl (SevinR) 63-25-2 - 5 - 10 Carbofuran (FuradanR) 1563-66-2 - 0.1									_
Carbofuran (FuradanR)         1563-66-2         -         0.1         - <t< td=""><td>_</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>_</td></t<>	_								_
Carbon black         1333-86-4         -         3.5         -         7         -			-				-		_
Carbon dioxide	·		-				-		_
Carbon disulfide         75-15-0         4         12         12         36         -         X           Carbon monoxide         630-08-0         35         40         200         229         -           Carbon tetrabromide         558-13-4         0.1         1.4         0.3         4         -         -         X           Carbon tetrachloride         56-23-5         2         12.6         -			-						_
Carbon monoxide         630-08-0         35         40         200         229         -           Carbon tetrabromide         558-13-4         0.1         1.4         0.3         4         -         -         X           Carbon tetrachloride         56-23-5         2         12.6         - <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>_</td></td<>									_
Carbon tetrabromide       558-13-4       0.1       1.4       0.3       4       -       -       X         Carbon tetrachloride       56-23-5       2       12.6       - <td< td=""><td></td><td></td><td></td><td></td><td>12</td><td>36</td><td></td><td></td><td>Х</td></td<>					12	36			Х
Carbon tetrachloride       56-23-5       2       12.6       - <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td>200</td><td>229</td><td>_</td></t<>							200	229	_
Carbonyl fluoride       353-50-4       2       5       5       15       -       -       -         Catechol (Pyrocatechol)       120-80-9       5       20       -       -       -       X         Cellulose       9004-34-6       -       10       -       20       -       -       -         Total dust       -       5       -					0.3		-	=	X
Catechol (Pyrocatechol)       120-80-9       5       20       -       -       -       X         Cellulose       9004-34-6       -       10       -       20       -       -       -         Total dust       -       10       -       20       -       -       -         Respirable fraction       -       5       -       -       -       -       -         Cesium hydroxide       21351-79-1       -       2       -       -       -       -         Chlordane       57-74-9       -       0.5       -       2       -       -       X         Chlorinated camphene       8001-35-2       -       0.5       -       1       -       -       X         Chlorinated diphenyl       55720-99-5       -       0.5       -       2       -       -       -         Oxide       -       -       0.5       -       2       -       -       -						-			=
Cellulose       9004-34-6         Total dust       -       10       -       20       -       -       -         Respirable fraction       -       5       -		353-50-4		5	5		-	=	=
Total dust Respirable fraction - 5	Catechol (Pyrocatechol)	120-80-9	5	20	_				Х
Respirable fraction       -       5       -	Cellulose	9004-34-6							
Cesium hydroxide         21351-79-1         -         2         -         -         -         -         -         -         Chlordane         57-74-9         -         0.5         -         2         -         -         X           Chlorinated camphene         8001-35-2         -         0.5         -         1         -         -         X           Chlorinated diphenyl         55720-99-5         -         0.5         -         2         -         -         -           Oxide         -         -         -         -         -         -         -         -			-		_	20	-	_	_
Chlordane 57-74-9 - 0.5 - 2 - X  Chlorinated camphene 8001-35-2 - 0.5 - 1 - X  Chlorinated diphenyl 55720-99-5 - 0.5 - 2   Oxide	_						-	_	-
Chlorinated camphene         8001-35-2         -         0.5         -         1         -         -         X           Chlorinated diphenyl         55720-99-5         -         0.5         -         2         -         -         -           Oxide         -         -         -         -         -         -         -         -			-		-		-	_	-
Chlorinated diphenyl 55720-99-5 - 0.5 - 2 Oxide			-			2	-	-	
Oxide			-	0.5	-	1	-	_	X
		55720-99-5	-	0.5		2			-
Chlorine									
		7782-50-5	0.5	1.5	1	3	_	_	-
Chlorine dioxide   10049-04-4   0.1   0.3   0.9   -   -   -	Chlorine dioxide	10049-04-4	0.1	0.3	0.3	0.9	_	_	_

Chlorine trifluoride	7790-91-2	<u> </u>	1-	_	-	0.1	0.4	-		
Chloroacetaldehyde	107-20-0			-	_	1	3	_		
Chloroacetone	78-95-5		-	-	_	1	4	X		
α- Chloroacetophenone	532-27-4	0.05	0.3	-	_	-	-	_		
(Phenacyl chloride)										
Chloroacetyl chloride	79-04-9	0.05	0.2		_	_				
Chlorobenzene	108-90-7	75	350	-  -			<u> </u>			
	2698-41-1	/5	350	-	_	0.05	0.4	X		
o-Chlorobenzylidene malononitrile	2090-41-1			_	_	0.05	0.4	A		
Chlorobromomethane	74-97-5	200	1,050	250	1,300	-	_			
	/4-9/-5				1,300	=	_			
2-Chloro-1,3-Butadiene	FF 45 6	See $\beta$ -Chloroprene								
Chlorodifluoromethane	75-45-6	1,000	3,500	1,250	4,375		-	-		
Chlorodiphenyl (42%	53469-21-9	-	1	-	2	-	_	X		
chlorine) (PCB)										
Chlorodiphenyl (54%	11097-69-1	_	0.5	-	1	-	-	X		
Chlorine) (PCB)										
1-Chloro, 2,3-		See Eph	ichloroh	ydrin						
epoxypropane										
2-Chloroethanol			ylene ch		rin					
Chloroethylene		See Vinyl chloride								
Chloroform	67-66-3	2	9.78	-	_	_	-	-		
(Trichloromethane)										
Bis (Chloromethyl) ether	542-88-1	see §12-202-14.1								
Chloromethyl methyl	107-30-2	see §12-202-14.1								
ether										
1-Chloro-1-nitropropane	600-25-9	2	10	-	_	-	-	_		
Chloropentafluoroethane	76-15-3	1,000	6,320	-	-	-	-	-		
Chloropicrin	76-06-2	0.1	0.7	0.3	2	-	-	-		
ß-Chloroprene	126-99-8	10	35	-	-	_	-	Х		
o-Chlorostyrene	2039-87-4	50	285	75	428	_	-	_		
o-Chlorotoluene	95-49-8	50	250	75	375	-	-	Х		
2-Chloro-6-(trichloro-	1929-82-4									
methyl) pyridine										
Total dust		-	10	_	20	_	-			
Respirable		-	5	-	-	-	-	_		
fraction										
Chlorpyrifos	2921-88-2	-	0.2	-	0.6	-	-	X		
[Chromic acid and	Varies with	-	_	-	_	_	0.1	_		
chromates (as CrO3)]	compound									
Chromite ore processing		_	0.05	_	_		-	_		
(Chromate), (as Cr)										
Chromium (II)	7440-47-3		0.5	_	_		_	_		
Chromium (III)	7440-47-3		0.5	_			1_			
compounds (as Cr)										
[Chromium (VI)			0.05					_		
compounds (as Cr)										
Water soluble &										
insoluble]										
Chromium (VI) compounds Water soluble &		See §12	-202-42	and §1:	2-157-1					
insoluble &										
	l									

Chromium metal (as Cr)	7440-47-3	-	0.5	-	-	_	-	_
Chromyl chloride	14977-61-8	0.025	0.15	-	-	_	-	_
Chrysene		see Co	al tar pi	tch vol	atiles	_ I		
Clopidol	2971-90-6							
Total dust		=	10	-	20	-	-	=
Respirable fraction		=	5	-	=	-	-	=
Coal dust (less than		-	2	_	_	-	-	_
5% SiO2), Respirable								
fraction								
Coal dust (greater		-	0.1	-	_	-	_	_
than or equal to 5%								
SiO2), Respirable								
quartz fraction								
Coal tar pitch	65966-93-2	-	0.2f	-	_	-	_	_
volatiles (benzene								
soluble fraction),								
anthracene, BaP,								
phenanthrene,								
acridine, chrysene,								
pyrene								
Cobalt metal, dust,	7440-48-4	-	0.05	-	-	-	-	-
and fume (as Co)								
Cobalt carbonyl	10210-68-1	-	0.1	-	_	-	-	-
(as Co)								
Cobalt hydrocarbonyl	16842-03-8	=	0.1	-	=	-	=	=
(as Co)								
Coke oven emissions		see §1	2-202-9	1		1		I
Copper	7440-50-8							
Fume (as Cu)		-	0.1	-	-	-	-	-
Dusts and mists		-	1	-	2	-	-	-
(as Cu)								
Cotton dust (raw)		see §1	2-202-32	l	l .	l .	L	I
Crag herbicide (Sesone)	136-78-7							
(Sodium 2,4-dichloro-								
phenoxyethyl sulfate)								
Total dust		-	10	-	20	-	-	-
Respirable fraction	1210 88 2	-	5	-		-		-
Cresol, all isomers	1319-77-3	5	22	-		-	_	Х
Crotonaldehyde	123-73-9	2	6	6	18	-	=	-
-	4170-30-3							
Crufomate	299-86-5	-	5	-	20	-		-
Cumene	98-82-8	50	245	75	365	-	_	Х
Cyanamide	420-04-2	_	2	-	_	-	_	-
Cyanides (as CN)	Varies with	-	5	-	=	-	-	X
	compound							
Cyanogen	460-19-5	10	20	-	=	-	-	-
Cyanogen chloride	506-77-4	_	-	-	-	0.3	0.6	-
Cyclohexane	110-82-7	300	1,050	375	1,300	-	-	_
Cyclohexanol	108-93-0	50	200	-		-	-	X
Cyclohexanone	108-94-1	25	100	100	400	-	-	Х
Cyclohexene	110-83-8	300	1,015	-	=	-	-	-

Cyclohexylamine	108-91-8	10	40	-	-	-	-	-
Cyclonite	121-82-4	-	1.5	-	3	<del> </del> -	-	X
Cyclopentadiene	542-92-7	75	200	75	200	_	-	_
Cyclopentane	287-92-3	600	1,720	900	2,580	_	-	_
Cyhexatin	13121-70-5	-	5	_	10	_	-	_
2,4-D (Dichloryl-	94-75-7	-	10	_	20	_	-	-
phenoxyacetic acid)								
DDT (Dichlorodiphenyl-	50-29-3	-	1	-	3	_	-	X
trichloroethane)								
Decaborane	17702-41-9	0.05	0.3	0.15	0.9	-	-	Х
Demeton (SystoxR)	8065-48-3	-	0.1	0.03	0.3	-	-	Х
Diacetone alcohol	123-42-2	50	240	75	360	-	-	_
(4-hydroxy-4-methyl-								
2-pentanone)								
1,2-Diaminoethane		See Eth	nylenedia	mine			1	
Diazinon	333-41-5	-	0.1	-	0.3	-	-	X
Diazomethane	334-88-3	0.2	0.4	-	-	-	-	-
Diborane	19287-45-7	0.1	0.1	-	-	-	-	-
1,2-Dibromo-	96-12-8	see §12	2-202-29				I	
3-chloropropane								
2-N-Dibutylamino-	102-81-8	2	14	4	28	-	-	Х
ethanol								
Dibutyl phosphate	107-66-4	1	5	2	10	_	_	_
Dibutyl phthalate	84-74-2	-	5	-	10	_	-	-
Dichloroacetylene	7572-29-4	-	-	_	-	0.1	0.4	-
o-Dichlorobenzene	95-50-1	-	-	_	-	50	300	-
p-Dichlorobenzene	106-46-7	75	450	110	675	-	-	_
3,3'-Dichlorobenzidine	91-94-1	see §12	2-202-14.	1	_ I			l l
Dichlorodifluoromethane	75-71-8	1,000	4,950	1,250	6,200	-	-	=
1,3-Dichloro-5,5-	118-52-5		0.2		0.4			
dimethyl hydantoin	110 32 3		0.2		0.1			
1,1-Dichloroethane	75-34-3	100	400	250	1,010	_	_	
1,2-Dichloroethylene	540-59-0	200	790	250	1,000	-		_
Dichloroethyl ether	111-44-4	5	30	10	60	-		X
Dichloromethane	111 11 1				00			
Dichloromonofluoro-	75-43-4	10	thylene o	nioriae	T_		1_	
methane	75-43-4	10	40					
1,1-Dichloro-1-nitro-	594-72-9	2	10	10	60	_		
ethane	394-72-9	2	10	10	00			
1,2-Dichloropropane		See Dro	opylene d	lichlorid	le			
1,3-Dichloropropene	542-75-6	1	5	_		1_		Х
2,2-Dichloropropionic	75-99-0	1	6	_	_	1_		
acid	, , , , , ,	_						
Dichlorotetrafluoro-	76-14-2	1,000	7,000	1,250	8,750	-	_	
ethane		1,000	,,500	1,250	3,730			
Dichlorvos (DDVP)	62-73-7	0.1	1	0.3	3	_	_	X
	141-66-2	-	0.25	-	-	-  -		X
Diarotophog	1 T T T T T T T T T T T T T T T T T T T	1-	0.45	1-	1	Ι-	1-	Λ
Dicrotophos		5	2.0				_	
Dicyclopentadiene Dicyclopentadienyl iron	77-73-6	5	30	-	-	-	-	-

Respirable fraction	-	-	5	[-	<b> </b> -	_	-	_	
Dieldrin	60-57-1	-	0.25	-	0.75	-	-	Х	
Diethanolamine	111-42-2	3	15	_	-	-	-	-	
Diethylamine	109-89-7	10	30	25	75	-	-	=	
2-Diethylaminoethanol	100-37-8	10	50	_	_	-	-	Х	
Diethylene triamine	111-40-0	1	4	-	-	-	-	-	
Diethyl ether		See Et	hyl ethe	r					
Diethyl ketone	96-22-0	200	705	-	-	-	-	-	
Diethyl phthalate	84-66-2	-	5	-	10	-	-	-	
Difluorodibromomethane	75-61-6	100	860	150	1,290	-	-	-	
Diglycidyl ether (DGE)	7/5/2238	0.1	0.5	-	-	-	-	-	
Dihydroxybenzene		See Hy	dorquinc	ne			1		
Diisobutyl ketone	108-83-8	25	150	<u> </u> -	-	-	-	-	
Diisopropylamine	108-18-9	5	20	_	-	_	-	Х	
4-Dimethylaminoazo-	60-11-7	See 81	2-202-14	. 1					
benzene	00-11-7	266 81	.2-202-14	• +					
Dimethoxymethane		See Me	thylal			1	1	Х	
Dimethyl acetamide	127-19-5	10	35	15	50	_	-	X	
Dimethylamine	124-40-3	10	18	10	50	_	-		
Dimethylaminobenzene		See Xv	rlidine						
Dimethylaniline	121-69-7	5	25	10	50	1-	<b>I</b> -	Х	
(N-Dimethyl-									
aniline									
Dimethylbenzene		See Xylene							
Dimethyl-1, 2-dibromo-	300-76-5	-	3	_	_	_	-	Х	
2,2-dichloroethyl									
phosphate									
Dimethylformamide	68-12-2	10	30	20	60	-	_	Х	
2,6-Dimethyl-4-								I	
heptanone		See Di	isobutyl	ketone					
1,1-Dimethylhydrazine	57-14-7	0.5	1	1	2	-	-	Х	
Dimethylphthalate	131-11-3	-	5	-	10	-	-	-	
Dimethyl sulfate	77-78-1	0.1	0.5	-	-	-	-	Х	
Dinitolmide (3,5-	148-01-6	-	5	-	10	-	-	-	
Dinitro-o-toluamide)									
Dinitrobenzene (all									
isomers) (alpha-)	528-29-0	0.15	1	0.5	1	-	-	Х	
(meta-)	99-65-0								
(para-)	100-25-4								
Dinitro-o-cresol	534-52-1	-	0.2	_	0.6	-	-	Х	
Dinitrotoluene	25321-14-6	-	1.5	-	5	_	-	Х	
Dioxane (Diethylene	123-91-1	25	90	-	-	-	-	X	
dioxide)									
Dioxathion (Delnav)	78-34-2	-	0.2	-	-	_	_	Х	
Diphenyl (Biphenyl)	92-52-4	0.2	1.5	0.6	4	-		_	
Diphenylamine	122-39-4	-	10		20	-	_	_	
Diphenylmethane		See Me	thylene	bispheny	y isocyan	ate			
diisocyanate			1	1	12	1	-	+	
Dipropylene glycol	34590-94-8	100	600	150	900	=	-	X	
methyl ether									

Di-sec-octyl phthalate   17-81-7   -   0.5   1   -   -   -	Dipropyl ketone	123-19-3	50	235	1_	T_	_	T_	I_
Dissectory   phthalate   117.81.7								1_	
Disulfirm   97-77-8	_								
Distribution		117-81-7				10			
Disulifiram   97-77-8   -   2   -   5   -   -   -									
Disulfoton   298-04-4	Disulfiram	97-77-8	_	2		5	_	1-	_
2,6-Di-tert-butyl-p-cressol			_				_	1-	Х
Diuron   330-54-1			_		  -		_	-	  -
Diviny  benzene   1321-74-0   10   50   -   -   -   -   -									
Total dust	Diuron	330-54-1	_	10	-	-	-	-	_
Total dust	Divinyl benzene		10		_	-		-	-
Total dust   Respirable fraction   -   5   -   -   -   -   -   -   -   -		112-62-9							
Endosulfan			_	10	_	_	_	_	_
Endosulfan	Respirable fraction		-	5	_	_	_	_	_
### Epichlorohydrin	Endosulfan	115-29-7	-	0.1	-	0.3	_	-	Х
Sep   Sep	Endrin	72-20-8	_	0.1	-	0.3	1-	1-	Х
See Propylene oxide   See Glycidol	Epichlorohydrin	106-89-8	2	8	_	-	1-	-	Х
See Glycidol   See Ethyl mercaptan   See Fithyl mercaptan   See Ethyl mercaptan   See	EPN	2104-64-5	-	0.5	-	2	-	-	Х
See Glycidol   See Ethyl mercaptan   See Fithyl mercaptan   See Ethyl mercaptan   See	1,2-Epoxypropane		See Pro	pylene o	xide			1	
See Ethyl mercaptan   Ethanolamine	2,3-Epoxy-1-propanol								
Ethanolamine 141-43-5 3 8 6 15 Ethion 563-12-2 - 0.4 X Z = Ethion 563-12-2 - 0.4 X Z = Ethoxyethanol 110-80-5 5 19 X Z = Ethoxyethyl acetate 111-15-9 5 27 X Z = Ethoxyethyl acetate 111-15-9 5 27 X Z = Ethyl acetate 141-78-6 400 1,400 X Ethyl acetate 140-88-5 5 20 25 100 X Ethyl alcohol 64-17-5 1,000 1,900 Ethyl alcohol (Ethylamine 75-04-7 10 18 Ethyl amyl ketone (5- Methyl-3-heptanone) Ethyl bromide 74-96-4 200 890 250 1,110 Ethyl bromide 74-96-4 200 890 250 1,110 Ethyl bromide 75-00-3 1,000 2,600 1,250 3,250 Ethyl ether 60-29-7 400 1,200 500 1,500 Ethyl mercaptan 75-08-1 0.5 1 Ethyl mercaptan 75-08-1 0.5 1	Ethanethiol		See Eth	yl merca	ptan				
2-Ethoxyethanol 110-80-5 5 19 X 2-Ethoxyethyl acetate (Cellosolve acetate)	Ethanolamine	141-43-5				15	-	1-	-
2-Ethoxyethyl acetate (Cellosolve acetate)	Ethion	563-12-2	-	0.4	_	_	-	_	Х
2-Ethoxyethyl acetate (Cellosolve acetate)	2-Ethoxyethanol	110-80-5	5	19	_	_	-	_	Х
Ethyl acetate	2-Ethoxyethyl acetate	111-15-9	5	27	_	_	-	_	Х
Ethyl acrylate	(Cellosolve acetate)								
Ethyl alcohol (Ethanol)	Ethyl acetate	141-78-6	400	1,400	-	-	-	_	-
(Ethanol)       75-04-7       10       18       -	Ethyl acrylate	140-88-5	5	20	25	100	-	=	Х
Ethylamine 75-04-7 10 18	Ethyl alcohol	64-17-5	1,000	1,900	-	-	-	=	-
Ethyl amyl ketone (5-	(Ethanol)								
Methyl-3-heptanone)         Incomplete the control of the contro	Ethylamine	75-04-7	10	18	_	-	-	_	_
Ethyl benzene	Ethyl amyl ketone (5-	541-85-5	25	130	_	-	-	_	_
Ethyl bromide 74-96-4 200 890 250 1,110 Ethyl butyl ketone (3-Heptanone)	Methyl-3-heptanone)								
Ethyl butyl ketone (3-Heptanone)	Ethyl benzene	100-41-4	100	435	125	545	-	=	-
(3-Heptanone)       1,000       2,600       1,250       3,250       - <t< td=""><td>Ethyl bromide</td><td>74-96-4</td><td>200</td><td>890</td><td>250</td><td>1,110</td><td>-</td><td>=</td><td>-</td></t<>	Ethyl bromide	74-96-4	200	890	250	1,110	-	=	-
Ethyl chloride 75-00-3 1,000 2,600 1,250 3,250 Ethyl ether 60-29-7 400 1,200 500 1,500 Ethyl formate 109-94-4 100 300 Ethyl mercaptan 75-08-1 0.5 1 Ethyl silicate 78-10-4 10 85 Ethylene chlorohydrin 107-07-3 1 3 X Ethylenediamine 107-15-3 10 25 Ethylene dibromide 106-93-4 20 see §12-202-34 30 X See Table 202-2 for operations excluded Ethylene dichloride 107-06-2 1 4 2 8 Ethylene glycol, vapor 107-21-1 50 125 - Ethylene glycol 628-96-6 0.05 0.3 - 0.1 X	Ethyl butyl ketone	106-35-4	50	230	75	345	1-	-	-
Ethyl ether 60-29-7 400 1,200 500 1,500 Ethyl formate 109-94-4 100 300 Ethyl mercaptan 75-08-1 0.5 1 Ethyl silicate 78-10-4 10 85 Ethylene chlorohydrin 107-07-3 1 3 X Ethylenediamine 107-15-3 10 25 Ethylene dibromide 106-93-4 20 see \$12-202-34 30 X See Table 202-2 for operations excluded Ethylene dichloride 107-06-2 1 4 2 8 Ethylene glycol, vapor 107-21-1 50 125 - Ethylene glycol 628-96-6 0.05 0.3 - 0.1 X	(3-Heptanone)								
Ethyl formate 109-94-4 100 300 Ethyl mercaptan 75-08-1 0.5 1 Ethyl silicate 78-10-4 10 85 Ethylene chlorohydrin 107-07-3 1 3 X Ethylenediamine 107-15-3 10 25 Ethylene dibromide 106-93-4 20 see \$12-202-34 30 X See Table 202-2 for operations excluded Ethylene dichloride 107-06-2 1 4 2 8 Ethylene glycol, vapor 107-21-1 50 125 - Ethylene glycol 628-96-6 0.05 0.3 - 0.1 X	Ethyl chloride	75-00-3	1,000	2,600	1,250	3,250	-	-	-
Ethyl mercaptan 75-08-1 0.5 1 Ethyl silicate 78-10-4 10 85	Ethyl ether	60-29-7	400	1,200	500	1,500	-	-	-
Ethylene chlorohydrin 107-07-3 1 3 X  Ethylenediamine 107-15-3 10 25	Ethyl formate	109-94-4	100	300	-	-	-	-	-
Ethylene chlorohydrin 107-07-3 1 3 X  Ethylenediamine 107-15-3 10 25	Ethyl mercaptan	75-08-1	0.5	1	-	-	-	-	-
Ethylenediamine 107-15-3 10 25 Ethylene dibromide 106-93-4 20 see \$12-202-34 30 X See Table 202-2 for operations excluded Ethylene dichloride 107-06-2 1 4 2 8 Ethylene glycol, vapor 107-21-1 50 125 - Ethylene glycol 628-96-6 0.05 0.3 - 0.1 - X	Ethyl silicate	78-10-4	10	85	-	-	-	-	-
Ethylene dibromide	Ethylene chlorohydrin	107-07-3	-	-	-	-	1	3	Х
See Table 202-2 for operations excluded   Ethylene dichloride   107-06-2   1   4   2   8   -   -   -   -	Ethylenediamine	107-15-3	10	25	-		-	-	-
Ethylene dichloride       107-06-2       1       4       2       8       -       -       -         Ethylene glycol, vapor       107-21-1       -       -       -       -       50       125       -         Ethylene glycol       628-96-6       0.05       0.3       -       0.1       -       -       X	Ethylene dibromide	106-93-4	20	see §1	2-202-34	Į.	1	30	X
Ethylene glycol, vapor 107-21-1 50 125 - Ethylene glycol 628-96-6 0.05 0.3 - 0.1 - X									led
Ethylene glycol 628-96-6 0.05 0.3 - 0.1 - X	_					8	-	-	-
	Ethylene glycol, vapor				-	-	50	125	-
dinitrate (EGDN)1	Ethylene glycol	628-96-6	0.05	0.3	-	0.1	-	-	X
	dinitrate (EGDN)l								

Ethylene glycol methyl		See Me	thyl cell	osolve	acetate			
acetate								
Ethylene imine	151-56-4	See §1	2-202-14.	1				
Ethylene oxide	75-21-8	See §1	2-202-35					
Ethylidene chloride		See 1,	1-Dichlo	roethan	ne			
Ethylidene norbornene	16219-75-3	-	_	_	-	5	25	1-
N-Ethylmorpholine	100-74-3	5	23	_	-	-	_	Х
Fenamiphos	22224-92-6	-	0.1	_	_	_	_	Х
Fensulfothion	115-90-2	_	0.1	_	_	_	_	_
(Dasanit)								
Fenthion	55-38-9	_	0.2	_	_	_	_	Х
Ferbam1	4484-64-1							
Total dust		_	10	_	20	_	_	_
Respirable fraction	_	_	_	_	_	_	_	
Ferrovanadium dust	12604-58-9	_	1	-	3	_	-	_
			10 <sup>h</sup>					
Fibrous glass dust		-		-		_	-	_
Fluorides (as F)	Varies with	_	2.5	-	-	_	_	_
-1	compound	0 1	0.0					
Fluorine	7782-41-4	0.1	0.2	_		-	-	-
Fluorotrichloro-	75-69-4	_	-	-	-	1,000	5,600	_
methane (Trichloro-								
fluoromethane)	244.00.0		0.4					<u> </u>
Fonofos	944-22-9	_	0.1	_		_	-	Х
Formaldehyde	50-00-0		2-202-37	T	1	1	1	1
Formamide	75-12-7	10	15	_	-	_	_	-
Formic acid	64-18-6	5	9	10	18	-	-	-
Furfural	98-01-1	2	8	-	-	-	-	Х
Furfuryl alcohol	98-00-0	10	40	15	60	-	_	X
Gasoline	8006-61-9	300	900	-	-	-	_	_
Germanium tetrahydride	7782-65-2	0.2	0.6	0.6	1.8	_	_	_
Glutaraldehyde	111-30-8	-	-	-	-	0.2	0.7	-
Glycerin (mist)	56-81-5							
Total dust		-	10	-	-	-	-	-
Respirable fraction	=	-	5	_	-	_	_	_
Glycidol	556-52-5	25	75	-	-	-	=	-
Glycol monoethyl ether		See 2-	Ethoxyeth	anol				
Grain dust (oat,	-	-	10	-	-	-	-	-
wheat, barley)								
Graphite, natural	7782-42-5	-	2.5	-	=	-	-	-
respirable dust						<u> </u>	<u></u>	
Graphite, synthetic								
Total dust		-	10	_	_	_	_	_
Respirable fraction		-	5					
GuthionR	12207 04 5	See Az	inphos me	tnyl	1	1	1	1
Gypsum	13397-24-5		1.0		0.0			
Total dust		=	10	_	20	-	-	_
Respirable fraction		_	5	-	- 1 5	-		-
Hafnium 7440-58-6	155.44.5	-	0.5	-	1.5	-	-	_
Heptachlor	76-44-8	-	0.5	-	2	-	-	Х
Heptane (n-Heptane)	142-82-5	400	1,600	500	2,000		-	-

Hexachlorobutadiene	87-68-3	0.02	0.24	-	-	-	-	-
Hexachlorocyclo-								
pentadiene	77-47-4	0.01	0.1	0.03	0.3	-	_	-
Hexachloroethane	67-72-1	1	10	-	-	-	-	Х
Hexachloronaphthalene	1335-87-1	-	0.2	-	0.6	-	-	Х
Hexafluoroacetone	684-16-2	0.1	0.7	0.3	2	-	-	Х
n-Hexane	110-54-3	50	180	-	-	-	-	-
Hexane isomers	Varies with	500	1,800	-	-	-	-	-
	compound							
2-Hexanone (Methyl	591-78-6	5	20	-	-	-	-	_
n-butyl ketone)								
Hexone (Methyl	108-10-1	50	205	75	300	=	-	=
isobutyl ketone								
sec-Hexyl acetate	108-84-9	50	300	-	-	-	-	-
Hexylene glycol	107-41-5	=	-	=	=	25	125	=
Hydrazine	302-01-2	0.1	0.1	-	_	-	_	Х
Hydrogenated	61788-32-7	0.5	5	-	-	-	-	-
Terphenyls								
Hydrogen bromide	10035-10-6	-	-	-	-	3	10	_
Hydrogen chloride	7647-01-0	-	-	-	-	5	7	-
Hydrogen cyanide	74-90-8	-	-	4.7	5	-	-	Х
Hydrogen fluoride	7664-39-3	3	-	6	-	-	-	-
(as F)								
Hydrogen peroxide	7722-84-1	1	1.4	2	3	-	-	_
Hydrogen selenide	7783-07-5	0.05	0.2	-	-	-	-	-
(as Se)								
Hydrogen sulfide	7783-06-4	10	14	15	21	-	-	-
Hydroquinone	123-31-9	_	2	-	4	-	_	_
2-Hydroxypropyl	999-61-1	0.5	3	-	-	-	-	X
acrylate								
Indene	95-13-6	10	45	15	70	-	-	_
Indium and compounds	7440-74-6	-	0.1	-	0.3	-	-	-
(as In)								
Iodine	7553-56-2	=	-	-	-	0.1	1	_
Iodoform	75-47-8	0.6	10	1	20	-	-	_
Iron oxide dust and	1309-37-1							
fume (as Fe)								
Total particulate		-	5	-	10	-	-	-
Iron pentacarbonyl		0.1	0.8	0.2	1.6	-	-	-
(as Fe)13463-40-6					-			
Iron salts (soluble)		-	1	-	2	-	-	_
(as Fe)Varies with								
compound	102.00.0	1.00	505	105	655			
Isoamyl acetate Isoamyl alcohol	123-92-2	100	525	125	655			-
(primary and	123-51-3	100	360	125	450	_	_	[
secondary)								
Isobutyl acetate	110-19-0	150	700	187	888		1_	1_
Isobutyl alcohol	78-83-1	50	150	75	225	<u> </u>	+	1-
Isooctyl alcohol	26952-21-6	50	270	75	225		-	X
TEOOCCAT STGOUGT	20932-21-0	20	2/0					Δ

Isophorone	78-59-1	4	23	-	=	5	28	-
Isophorone diiso-	4098-71-9	0.005	0.045	0.02	_	-	_	Х
cyanate								
2-Isopropoxyethanol	109-59-1	25	105	75	320	_	_	_
Isopropyl acetate	108-21-4	250	950	310	1,185	_	_	_
Isopropyl alcohol	67-63-0	400	980	500	1,225	-	-	-
Isopropylamine	75-31-0	5	12	10	24	_	I	1-
N-Isopropylaniline	768-52-5	2	10	_	_	_	_	Х
Isopropyl ether	108-20-3	250	1,050	310	1,320		_	1-
Isopropyl glycidyl	4016-14-2	50	240	75	360	-	_	1_
ether (IGE)	1010 11 2	30	210	, 3	500			
Kaolin	_							
Total dust		_	10	_	20	_	_	_
Respirable fraction		_	5	_	_	_	_	_
Ketene	463-51-4	0.5	0.9	1.5	3		1_	1_
Lead chromate, as Cr		12.5			-			+
Lead inorganic	7439-92-1	See 812	  -202-33.	1 and 13			1	1
(as Pb)	, 13, 72 1	500 812		_ 0.1.0 12	10.1			
Limestone	1317-65-3				1	1		1
Total dust			10	_	20	_		-
Respirable fraction		_	5	_	_	_	_	_
Lindane	58-89-9		0.5	_	1.5			X
Lithium hydride	7580-67-8	_	0.025		_	<u> </u>	_	7.
L.P.G. (Liquefied	68476-85-7	1,000	1,800	1,250	2,250			
petroleum gas)	004/0-05-/	1,000	1,800	1,250	2,250	_	_	
Magnesite	546-93-0				1			1
Total dust	546-93-0		10		20			
Respirable fraction		5	_		_			
Magnesium oxide fume	1309-48-4	3						
Total particulate	1309-40-4	_	10	_	_	_	_	_
Malathion	121-75-5		10					
Total dust	121 /3 3	_	10	_	_	_	_	х
Maleic anhydride	108-31-6	0.25	1	_	1_			
Manganese compounds	7439-96-5	-	-	-	<u> -</u>  -	<u> </u>	5	-
(as Mn)	/439-90-3	-		_			٥	
Manganese fume (as Mn)	7439-96-5		1		3	_		<del> </del>
Manganese cyclopenta-	12079-65-1	-  -	0.1	1_	0.3	1_	1_	X
dienyl tricarbonyl	120/9-05-1	[	0.1	_	0.3	_		^
(as Mn)								
Manganese tetroxide	1317-35-7		1	<del> </del> _			1_	<del> </del>
(as Mn)	1311-33-1	-	1	_			[=	
Marble (Calcium	1317-65-3				1			1
carbonate)	1311-02-3							
Total dust		_	10	_	20	_	_	_
Respirable								
fraction		_	5	_	_	_	_	_
Mercury (aryl and	7439-97-6		-	_	-		0.1	X
inorganic) (as Hg)	1437-21-0						0.1	Δ
Mercury (organo)	7439-97-6	-	0.01	-	0.03	-	=	Х
alkyl compounds								
	•		•		•	•		

(as Hg)		1	1					
Mercury (vapor)	7439-97-6	-	0.05	-	_	-	-	Х
(as Hg)								
Mesityl oxide	141-79-7	15	60	25	100	=	-	-
Methacrylic acid	79-41-4	20	70	-	-	-	-	Х
Methanethiol		See Met	hyl merca	aptan	1			1
Methomyl (Lannate)	16752-77-5	-	2.5	-	-	_	1-	1-
Methoxychlor	72-43-5							
Total dust		-	10	-	_	=	_	_
2-Methoxyethanol	150-76-5	See Met	hyl cell	osolve	I.	II.	ı	
4-Methoxyphenol								I
Methyl acetate	79-20-9	200	610	250	760	_	_	-
Methyl acetylene	74-99-7	1,000	1,650	1,250	2,040	_	_	-
(Propyne)								
Methyl acetylene-	_	1,000	1,800	1,250	2,250	_	-	-
propadiene mixture								
(MAPP)								
Methyl acrylate	96-33-3	10	35	-	_	_	_	Х
Methylacrylonitrile	126-98-7	1	3	2	б	-	_	Х
Methylal (Dimethoxy-	109-87-5	1,000	3,100	1,250	3,875	-	_	-
methane)								
Methyl alcohol	67-56-1	200	260	250	325	-	-	Х
(methanol)								
Methylamine	74-89-5	10	12	=	-	-	-	-
Methyl amyl alcohol		See Met	hyl isob	utyl car	rbinol	- I	1	
Methyl n-amyl ketone	110-43-0	50	235	=	-	=	-	-
N-Methyl aniline	100-61-8	0.5	2	1	5	-	-	Х
Methyl bromide	74-83-9	5	20	15	60	-	-	Х
Methyl n-butyl ketone		See 2 -	Hexanon	e	II.	- I	1	
Methyl cellosolve	109-86-4	5	16	-	-	-	-	Х
(2-Methoxyethanol)								
Methyl cellosolve	110-49-6	5	24	-	-	-	-	Х
acetate								
(2-Methoxyethyl								
acetate)								
Methyl chloride	74-87-3	50	105	106	205	200	-	-
Methyl chloroform	71-55-6	350	1,900	450	2,450	-	-	-
(1,1,1-Trichloro-								
ethane)						1		1
Methyl 2-cyanoacrylate	137-05-3	2	8	4	16	-	-	_
Methylcyclohexane	108-87-2	400	1,600	500	2,000	_	-	_
Methylcyclohexanol	25639-42-3	50	235	75	350	-	-	_
o-Methylcyclohexanone	538-60-8	50	230	75	345	-	-	X
2-Methylcyclo-	12108-13-3	-	0.2	-	0.6	_	-	X
pentadienyl								
	i .		1					
manganese								
manganese tricarbonyl (as Mn)			-					
manganese tricarbonyl (as Mn) Methyl demeton	8022-00-2		0.5	-	1.5	-	-	Х
manganese tricarbonyl (as Mn)	8022-00-2 101-14-4	- 0.02	0.5	-	1.5	-	_	X

(MBOCA)			1	1				
Methylene bis (4-	5124-30-1	-	-	-	-	0.01	0.11	-
cyclohexyliso-								
cyanate)								
Methylene chloride	75-09-2	See §1	2-202-41	•		•	•	•
4,4'-Methylene	101-77-9	See §1	2-202-38	and 12-	-146			
dianiline;								
Methyl ethyl ketone		See 2-	Butanone					
(MEK)								
Methyl ethyl ketone	1338-23-4	-	-	-	-	0.2	1.5	-
peroxide (MEKP)								
Methyl formate	107-31-3	100	250	150	375	-	-	-
Methyl hydrazine	60-34-4	-	-	-	-	0.2	0.35	Х
(Mono-methyl								
hydrazine								
Methyl iodide	74-88-4	2	10	-	-	-	-	Х
Methyl isoamyl ketone	110-12-3	50	240	-	-	-	-	-
Methyl isobutyl	108-11-2	25	100	-	-	-	-	Х
carbinol								
Methyl isobutyl		See He	xone	1	1	ı	1	1
ketone								
Methyl isocyanate	624-83-9	0.02	0.05	-	-	-	-	X
Methyl isopropyl	563-80-4	200	705	-	-	-	_	-
Ketone								
Methyl mercaptan	74-93-1	0.5	1	-	-	-	_	-
Methyl methacrylate	80-62-6	100	410	-	-	-	_	-
Methyl parathion	298-00-0	-	0.2	-	0.6	-	-	Х
Methyl propyl ketone		See 2-	Pentanon	e	l l	<u> </u>	l	
Methyl silicate	681-84-5 1	6	-	-	-	-	-	
lpha- Methyl styrene	98-83-9	50	240	100	485	-	-	-
Methylene bisphenyl	101-68-8	-	-	_	-	0.02	0.2	-
isocyanate (MDI)								
Metribuzin	21087-64-9	-	5	-	-	_	_	-
MevinphosR		See Ph	osdrin			I	I	
Mica		See Si	licates					
Molybdenum (as Mo)	7439-98-7							
Soluble compounds		-	5	-	10	-	-	_
Insoluble compounds								
Total dust		-	10	-	20	_	-	_
Monocrotophos	6923-22-4	-	0.25	-	_	_	-	-
(AzodrinR)								
Monomethyl aniline	100-61-8	0.5	2	-	_	_	_	Х
(N-Methylaniline)								
Morpholine	110-91-8	20	70	30	105	_	_	Х
Naled 300-76-5		-	3	-	6	-	-	Х
Naphtha (Coal tar)	8030-30-6	100	400	-	-	_	-	-
Naphthalene	91-20-3	10	50	15	75		-	_
α- Naphthylamine	134-32-7		2-202-14	_				
3-naphthylamine	91-59-8		2-202-14					
Nickel carbonyl	13463-39-3	0.001	0.007					

(as Ni)	1	I	ı	ı	1	ı	1	1
Nickel, metal and			1	<u> </u>	<u> </u>	_	1_	1_
insoluble compounds			-					
(as Ni) 7440-02-0								
Nickel, soluble	7440-02-0		0.1		0.3	_	-	-
compounds (as Ni)	7440-02-0		0.1		0.3			
Nickel sulfide			1	<u> </u>	<u> </u>	_	1_	1_
roasting, fume &			-					
dust, (as Ni)								
Nicotine	54-11-5	_	0.5	_	1.5	_		X
Nitrapyrin	1929-82-4	_	10		20	_		
Nitric acid	7697-37-2	2	5	4	10	_		
Nitric acid	10102-43-9	25	30	35	45	_		-  -
				35	45	_	-  -	
p-Nitroaniline	100-01-6		3	-	-			X
Nitrobenzene	98-95-3	1	5	2	10	-	-	X
p-Nitrochlorobenzene	100-00-5	0.1	0.6	-	-	-		X
4-Nitrodiphenyl	92-93-3		-202-14.		1			
Nitroethane	79-24-3	100	310	150	465	-	_	-
Nitrogen dioxide	10102-44-0	3	6	5	9.4	-	-	-
Nitrogen trifuoride	7783-54-2	10	29	15	45	-	_	-
Nitroglycerin (NG) <sup>1</sup>	55-63-0	-	-	150	0.1 375	_	<u>-</u>	X
Nitromethane	75-52-5	100	250	150				
1-Nitropropane	108-03-2	25	90	35	135	-	-	-
2-Nitropropane	79-46-9	10	35	_	_	_	_	_
N-Nitrosodi-	62-79-9	See §12	-202-14.	1				
methylamine			1		1		_	
Nitrotoluene								
o-isomer	88-72-2;	2	11	-	-	_	-	X
m-isomer	99-08-1;	2	11	_	_	_	_	X
p-isomer	99-99-0	2	11	_	_	_	_	X
Nitrotrichloromethane	10004 05 0		oropicri		1	_	_	
Nitrous oxide	10024-97-2	50	91	-	-	-	-	-
Nonane	111-84-2	200	1,050	250	1,300	-	-	-
Octachloronaphthalene	2234-13-1	-	0.1	-	0.3	-	_	Х
Octane	111-65-9	300	1,450	375	1,800	-	_	-
Oil mist, mineral	8012-95-1	-	5i	-	10i	-	_	-
Osmium tetroxide								
(as Os)	20816-12-0	0.0002	0.002	0.0006	0.006	-	_	-
Oxalic acid	144-62-7	_	1	-	2	-	-	-
Oxygen difluoride	7783-41-7	_	-	-	_	0.05	0.11	-
Ozone	10028-15-6	0.1	0.2	0.3	0.6	-	-	-
Paraffin wax fume	8002-74-2	-		2 -	6	_	-	-
Paraquat, respirable	1910-42-5	=	0.1	-	-	-	-	Х
dust	2074-50-2	-	0.1	-	-	-	-	X
	4685-14-7	_	0.1	_	_	-		X
Parathion	56-38-2	=	0.1	=	0.3	=	-	Х
Particulates not	-							
other wise								
regulated								
Total dust	-	-	10	-	-	-	-	-

Respirable	-	-	5	-	-	-	-	_
fraction								
Pentaborane	19624-22-7	0.005	0.01	0.015	0.03	-	-	-
Pentachloronaphthalene	1321-64-8	-	0.5	_	2	-	_	Х
Pentachlorophenol	87-86-5	-	0.5	_	1.5	-	-	Х
Pentaerythritol	115-77-5							
Total dust		-	10	_	20	_	_	_
Respirable fraction		-	5	_	_	_	_	_
Pentane	109-66-0	600	1,800	750	2,250	-	=	=
2-Pentanone (Methyl	107-87-9	200	700	250	875	-	-	-
propyl ketone)								
Perchloroethylene	127-18-4	25	170	200	1,340	-	=	-
(Tetrachloro-								
ethylene)								
Perchloromethyl	594-42-3	0.1	0.8	-	-	-	-	-
mercaptan								
Perchloryl fluoride	7616-94-6	3	14	6	28	=	=	=
Perlite	-							
Total dust		-	10	-	-	=	=	_
Respirable fraction		-	5	_	_	-	-	_
Petroleum distillates	8002-05-9	400	1,600	-	-	-	-	-
(Naphtha)								
Phenol	108-95-2	5	19	10	38	-	_	X
Phenothiazine	92-84-2	-	5	_	10	_	_	X
p-Phenylene diamine	106-50-3	-	0.1	-	-	-	-	X
Phenyl ether, vapor	101-84-8	1	7	2	14	=	=	=
Phenyl ether-biphenyl	-	1	7	=	-	-	=	=
mixture, vapor								
Phenylethylene		See Sty	rene					
Phenyl glycidyl ether	122-60-1	1	6	_	-	_	_	_
(PGE)								
Phenylhydrazine	100-63-0	5	20	10	45	-	-	X
Phenyl mercaptan	108-98-5	0.5	2	-	-	_	_	_
Phenylphosphine	638-21-1	-	_	-	-	0.05	0.25	_
Phorate	298-02-2	-	0.05	-	0.2	-	-	X
Phosdrin (Mevinphos <sup>R</sup> )	7786-34-7	0.01	0.1	0.03	0.3	_	_	X
Phosgene (Carbonyl	75-44-5	0.1	0.4	_	-	-	_	-
chloride)								
Phosphine	7803-51-2	0.3	0.4	1	1.4	-	-	_
Phosphoric acid	7664-38-2	-	1	_	3	-	_	-
Phosphorus (yellow)	7723-14-0	-	0.1	-	0.3	-	_	_
Phosphorus oxychloride	10025-87-3	0.1	0.6	0.5	3	-	_	_
Phosphorus penta-	10026-13-8	-	1	-	3	-	_	_
Chloride								
Phosphorus penta-	-	1	-	3	-	-	=	
sulfide 1314-80-3								
Phosphorus trichloride	7719-12-2	0.2	1.5	0.5	3	-	=	-
Phthalic anhydride	85-44-9	1	6	-	-	-	-	-
	1	1	1	1	1	1		1
m-Phthalodinitrile	626-17-5	-	5	_	-	-	-	-

Total dust	İ	1-	10	l_	20	I_	1-	1_
Respirable fraction		=	5	_	-	_	_	_
Picric acid	88-89-1	-	0.1	_	0.3	-	-	Х
Pindone (2-Pivalyl-	83-26-1		0.1	_	0.3	_	-	_
1,3-indandione)								
Piperazine dihydro-	142-64-3	-	5	_	-	-	-	_
chloride								
Plaster of Paris	26499-65-0							
Total dust		-	10	_	_	_	_	_
Respirable fraction		-	5	_	-	_	-	-
Platinum (as Pt)	7440-06-04							
Metal		-	1	_	-	-	-	-
Soluble salts		-	0.002	_	-	-	-	-
Portland cement	65997-15-1							
Total dust			10	_	-	-	-	_
Respirable fraction		-	5	-	-	-	-	-
Potassium hydroxide	1310-58-3	-	-	_	-	-	2	-
Propane	74-98-6	1,000	1,800	_	-	-	-	-
Propargyl alcohol	107-19-7	1	2	3	6	-	-	Х
ß-Propriolactone	57-57-8	See §12	2-202-14.1				<u> </u>	
Propionic acid	79-09-4	10	30	15	45	-	_	-
Propoxur (Baygon)	114-26-1	-	0.5	_	2	-	_	_
n-Propyl acetate	109-60-4	200	840	250	1,050	-	_	_
n-Propyl alcohol	71-23-8	200	500	250	625	_	_	Х
n-Propyl Nitrate	627-13-4	25	105	40	170	-	_	-
Propylene dichloride	78-87-5	75	350	110	510	-	_	-
Propylene glycol	6423-43-4	0.05	0.3	0.1	0.6	_		Х
dinitrate (PGDN)								
Propylene glycol mono-	107-98-2	100	360	150	540	-	_	_
methyl ether								
Propylene imine	75-55-8	2	5	-	-	-	-	Х
Propylene oxide	75-56-9	20	50	_	-	-	-	-
n-Propyl nitrate	627-13-4	25	105	40	170	_	_	-
Propyne		See Met	hyl acety	/lene				
Pyrethrum	8003-34-7	-	5	_	10	-	_	-
Pyridine	110-86-1	5	15	10	30	_	_	-
Quinone	106-51-4	0.1	0.4	0.3	1	_	_	-
Resorcinol	108-46-3	10	45	20	90	_	_	-
Rhodium (as Rh),	7440-16-6	-	0.1	_	-	_	_	_
metal fume and								
insoluble compounds								
Rhodium (as Rh),								
soluble compounds	7440-16-6	_	0.001	_	-	_	_	-
Ronnel	299-84-3	-	10	_	-	-	_	-
Rosin core solder			+					
pyrolysis products,								
as formaldehyde	-	-	0.1	_	0.3	_	_	_
Rotenone (commercial)	83-79-4	=	5	_	10	_	_	-
Rouge	-		+					
Total dust		-	10	_	20	_	_	-
I	1	I	I	I	I	1	1	I

Respirable fraction		-	5	-	-	-	-	-
Rubber solvent	-	400	1,600	-	-	-	-	-
(Naphtha)								
Selenium compounds	-	0.2	_	_	_	-	_	
(as Se) 7782-49-2						1		
Selenium hexafluoride	7783-79-1	0.05	0.2	-	-	-	-	_
(as Se)								
Sesone (Sodium 2,4-		See Cra	ag herbic	ide				
dichloro-phenoxy-		500 010	25 1101210					
ethyl sulfate)								
Silane		See Si	licone te	trahvdi	ride			
Silica, amorphous,		_	6	<u></u>	1_	T_	T_	1_
precipitated and gel			0					
Silica, amorphous,		6						
diatomaceous earth		O						
containing less								
than 1% crystalline								
silica61790-53-2								
	14464 46 1		0.05	1				
Silica, crystalline	14464-46-1	_	0.05	_	_	-	_	_
cristobalite (as								
quartz), respirable								
dust	11000 50 5		0.1					
Silica, crystalline	14808-60-7	-	0.1	_	-	-	=	-
quartz (as quartz),								
respirable dust								
Silica, crystalline	1317-95-9	-	0.1	_	_	-	_	-
tripoli (as quartz),								
respirable dust								
Silica, crystalline	15468-32-3	-	0.05	_	_	-	-	-
tridymite (as								
quartz),								
respirable dust								
Silica, fused,	60676-86-0	-	0.1	-	-	-	=	-
respirable dust								
Silicates (less than								
1% crystalline								
silica)								
Mica (respirable	12001-26-2	-	3	-	-	-	_	_
dust								
Soapstone, total	-	-	6	-	-	-	_	_
dust								
Soapstone,	-	-	3	-	-	-	-	_
respirable dust								
Talc (containing	-	See §12	2-202-13					
asbestos): use								
asbestos limit								
Talc (containing	14807-96-6	-	2	-	-	-	_	_
no asbestos),								
respirable dust								
Tremolite		See §12	2-202-13					
Silicon	7440-21-3							

Total dust	I	I_	10	1_	20	1_	1_	I <sub>=</sub>
Respirable fraction		_	5	_	_	_	_	_
Silicon carbide	409-21-2							
Total dust	100 21 2	_	10	_	20	_	_	_
Respirable fraction		_	5	_	_	_	_	_
Silicon tetrahydride	7803-62-5	5	7					
(Silane)	7003 02 3							
Silver, metal and	7440-22-4		0.01					
soluble compounds	7110 22 1		0.01					
(as Ag)								
Soapstone		See Si	licates					
Sodium azide	26628-22-8		1	1				
(as HN3)		_	_	_	_	0.1	_	X
(as NaN3)		-	_	_	_	_	0.3	X
Sodium bisulfite	7631-90-5	-	5	-	-	-		=
Sodium 2,4-dichloro-		See Cra	g herbic	ide (see	e sesson	e)		
phenoxyethyl			.5			-,		
sulfate								
Sodium fluoroacetate	62-74-8	_	0.05	1_	0.15	1-	1-	Х
Sodium hydroxide	1310-73-2	_		_	1-	  -	2	_
Sodium metabisulfite	7681-57-4	_	5	1_		-	1_	-
Starch	9005-25-8							
Total dust	5003 25 0	_	10	_	20	_	_	_
Respirable fraction		_	5	_	_	_	_	_
Stibine	7803-52-3	0.1	0.5	0.3	1.5			
Stoddard solvent	8052-41-3	100	525	-	-	1_	1_	
Strychnine	57-24-9	_	0.15	-	0.45	_		
Styrene, monomer	100-42-5	50	215	100	425	_		
Subtilisins	9014-01-1	-			0.0000			
(Proteolytic	J011 01 1				(60 mi			
enzymes)								
Sucrose	57-50-1							
Total dust		-	10	-	20	_	_	=
Respirable fraction		-	5	_	_	_	-	_
Sulfotep;		See TEI	)P					
Sulfur dioxide	7446-09-5	2	5	5	10	-	-	-
Sulfur hexafluoride	2551-62-4	1,000	6,000	1,250	7,500	-	-	-
Sulfuric acid	7664-93-9	-	1	-	3	-	-	-
Sulfur monochloride	10025-67-9	-	-	3	18	1	6	-
Sulfur pentafluoride	5714-22-7	-	-	0.075	0.75	0.01	0.1	-
Sulfur tetrafluoride	7783-60-0	-	-	0.3	1	0.1	0.4	-
Sulfuryl fluoride	2699-79-8	5	20	10	40	-	-	_
Sulprofos	35400-43-2	-	1	-	-	-	-	_
SystoxR		See Dem	neton 2,4	,5-T	1	II.	1	I.
Talc		See Sil	icates					
Tantalum, metal	7440-25-7	-	5	-	10	-	1-	-
and oxide dust								
TEDP (Sulfotep)	3689-24-5	-	0.2	-	0.6	-		X
Tellurium and	13494-80-9	-	0.1	_	-	-		_
compounds (as Te)				+				
					1			

malli.m. hassaflaida	7702 00 4	0 00	0 0					1
Tellurium hexafluoride	7783-80-4	0.02	0.2	-	_	_	_	-
(as Te)	2202 06 0							
Temephos	3383-96-8		1.0		2.0			
Total dust		-	10	-	20	_	_	_
Respirable fraction	105 40 2	-	5	- 0.1		_		
TEPP	107-49-3	0.004	0.05	0.01	0.2	-		Х
Terphenyls	26140-60-3	-	_	-	-	0.5	5	_
1,1,1,2-Tetrachloro-	76-11-9	500	4,170	625	5,210	-	_	-
2,2-difluoroethane								
1,1,2,2-Tetrachloro-	76-12-0	500	4,170	625	5,210	_	_	-
1,2-difluoroethane								
1,1,2,2-Tetrachloro-	79-34-5	1	7	-	=	-	_	X
ethane								
Tetrachoroethylene		See Per	chloroeth	nylene				
Tetrachloromethane		See Car	bon tetra	achlori	de			
Tetrachloronaphthalene	1335-88-2	=	2	-	4	-	-	X
Tetraethyl lead	78-00-2	-	0.075k	-	0.3k	-	-	Х
(as Pb)								
Tetrahydrofuran	109-99-9	200	590	250	735	-	-	-
Tetramethyl lead,	75-74-1	-	0.075k	-	0.5k	-	-	Х
(as Pb)								
Tetramethyl succino-	3333-52-6	0.5	3	2	9	-	-	Х
nitrile								
Tetranitromethane	509-14-8	1	8	-	-	-	-	-
Tetrasodium pyro-								
phosphate	7722-88-5	-	5	-	-	_	-	-
Tetryl (2,4,6-	479-45-8	-	1.5	-	_	-	-	Х
Trinitrophenyl-								
methyl-nitramine)								
Thallium, soluble	7440-28-0	_	0.1	-	-	-	-	Х
compounds (as Tl)								
4,4'-Thiobis (6-tert,	96-69-5							
butyl-m-cresol)								
Total dust		_	10	-	20	_	-	-
Respirable		_	5	-	-	_	-	-
fraction								
Thioglycolic acid	68-11-1	1	4	-	-	-	-	Х
Thionyl chloride	7719-09-7	-	-	-	-	1	5	-
Thiram	137-26-8	-	1	-	_	-	-	-
Tin, inorganic	7440-31-5	-	2	-	4	_	-	-
compounds (except								
oxides) (as Sn)								
Tin, organic	7440-31-5	-	0.1	-	0.2	-	-	Х
compounds (as Sn)								
Tin oxide (as Sn)	21651-19-4	-	2	-	4	-	1-	-
Titanium dioxide	13463-67-7							
Total dust		-	10	_	20	-	_	_
Toluene (Toluol)	108-88-3	100	375	150	560	-	1-	X
Toluene di-	584-84-9	0.005	0.04	0.02	0.15	_	-	-
isocyanate (TDI)								
				1		1		

						1		
m-Toluidine	108-44-1	2	9	_	-	_	-	Х
o-Toluidine	95-53-4	5	22	-	-	-	-	X
p-Toluidine	106-49-0	2	9	_	-	-	-	X
Toxaphene		See Chl	orinated	campher	ne			
Tremolite		See Sil	icates				_	
Tributyl phosphate	126-73-8	0.2	2.5	0.4	5	-	-	-
Trichloroacetic acid	76-03-9	1	5	-	-	-	-	-
1,2,4-Trichlorobenzene	120-82-1	-	-	-	-	5	40	-
1,1,1-Trichloroethane		See Met	hyl chlo	roform	•	•	•	,
1,1,2-Trichloroethane	79-00-5	10	45	20	90	-	-	Х
Trichloroethylene	79-01-6	50	270	200	1,080	-	-	-
Trichloromethane								
Trichloronaphthalene	1321-65-9	=	5	=	10	-	-	X
1,2,3-Trichloropropane	96-18-4	10	60	75	450	-	-	X
1,1,2-Trichloro-1,2,2-	76-13-1	1,000	7,600	1,250	9,500	-	_	_
trifluoroethane								
Triethylamine	121-44-8	10	40	15	60	-	-	_
Trifluorobromomethane	75-63-8	1,000	6,100	1,200	7,300	-	-	
Trimellitic anhydride	552-30-7	0.005	0.04	=	=	_	-	=
Trimethylamine	75-50-3	10	24	15	36	-	_	_
Trimethyl benzene	25551-13-7	25	125	35	170	-	_	_
Trimethyl phosphite	121-45-9	2	10	5	25	-	-	_
2,4,6-Trinitrophenyl			ric acid		1			
2,4,6-Trinitrophenyl-		See Tet		•				
methyl nitramine		500 100	-1-					
2,4,6-Trinitrotoluene	118-96-7	_	0.5	_	_	1_	T_	Х
(TNT)	110 30 7		0.5					21
Triorthocresyl	78-30-8	_	0.1	_	_	_	-	X
phosphate								
Triphenyl amine	603-34-9	-	5	_	_	_	-	
Triphenyl phosphate	115-86-6	_	3	_	6		_	Х
Tungsten (as W)	7440-33-7					+		
Insoluble compounds	1.22.22	_	5	_	10	_	_	_
Soluble compounds		=	1	_	3	_	_	=
Turpentine	8006-64-2	100	560	150	840	-	_	_
Uranium (as U)	7440-61-1							
Soluble compounds		_	0.05	_	_	_	_	_
Insoluble compounds		_	0.2	_	0.6	_	_	_
n-Valeraldehyde	110-62-3	50	175	_	_	_	_	_
Vanadium	1314-62-1							
Respirable dust	_	0.05	_	_	_	_	_	_
(as V205)								_
Fume (as V205)	_	0.05	_	_	_	_	_	_
Vegetable oil mist	_			1		1	1	_
Total dust	_	10		-	-	-	_	_
Respirable fraction		5		-	_	1-	_	_
Vinyl acetate	108-05-4	10	30	20	60	-	-	_
Vinyl benzene		See Sty			1	_1		1
Vinyl bromide	593-60-2	5	20	-	-	1-	-	_
Vinyl chloride	75-01-4		-202-28		1	1		1
· · · · · · · · · · · · · · · · · · ·		500 812	202 20					

Vinyl cyclohexene dioxide         106-87-6         10         60         -         -         -         X           Vinyl dioxide         75-35-4         1         4         -	Vinylcyanide		See Ac	rylonitri	le.				
Vinylidene chloride	Vinyl cyclohexene	106-87-6	10	60	-	-	-	-	Х
(1,1-Dichloro-ethylene)  Vinyl toluene  25013-15-4  50  240  100  485	dioxide								
ethylene)         25013-15-4         50         240         100         485         - </td <td>Vinylidene chloride</td> <td>75-35-4</td> <td>1</td> <td>4</td> <td> -</td> <td>-</td> <td></td> <td>-</td> <td>-</td>	Vinylidene chloride	75-35-4	1	4	-	-		-	-
Vinyl toluene   25013-15-4   50   240   100   485   -   -   -	(1,1-Dichloro-								
VM & P Naphtha         8032-32-4         300         1,350         400         1,800         -	ethylene)								
Warfarin         81-81-2         -         0.1         -         0.3         -	Vinyl toluene	25013-15-4	50	240	100	485		-	-
Welding fumes (total particulate)         -         5         -	VM & P Naphtha	8032-32-4	300	1,350	400	1,800	-	-	-
marticulate   mood dust:   Certain hardwoods	Warfarin	81-81-2	-	0.1	-	0.3	-	-	-
Wood dust:         Certain hardwoods as beech & oak         -         1         -	Welding fumes (total	-	-	5	-	=	-	-	=
Certain hardwoods     as beech & oak All soft woods,     (except Western     red cedar)  Wood dust,     Western red cedar  Xylenes (o-, m-, p-     isomers  m-Xylene α, α'-     diamine  Xylidine  1300-73-8  2.5  1	particulate)								
as beech & oak All soft woods,     (except Western red cedar)  Wood dust,     Western red cedar  Xylenes (ο-, m-, p-     isomers  m-Xylene α, α'-     diamine  Xylidine  1300-73-8  1300-73-8  1477-55-0  2inc chloride fume  7440-65-5  2inc chromate (as     Cro3)  Compound  Zinc oxide fume  1314-13-2  Total dust     Respirable fraction  Zinc stearate  Total dust     Respirable fraction  Zirconium compounds  7440-67-2	Wood dust:								
All soft woods,     (except Western red cedar)  Wood dust,     Western red cedar  Xylenes (o-, m-, p- 1330-20-7 100 435 150 655 - X isomers  m-Xylene α, α'- 1477-55-0 X isomers  Xylidine 1300-73-8 0.5 2.5 X Ytrium 7440-65-5 - 1 - 3 X Ytrium 7440-65-5 - 1 - 2	Certain hardwoods	-	-	1	-	-	-	-	=
(except Western red cedar)       -       2.5       - <t< td=""><td>as beech &amp; oak</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	as beech & oak								
red cedar)       —       2.5       —       <	All soft woods,	-	-	5	-	10	-	-	=
Wood dust,         -         -         2.5         -         <	(except Western								
Western red cedar       Xylenes (o-, m-, p- isomers)       1330-20-7       100       435       150       655       -       -       X         m-Xylene α, α'- diamine       1477-55-0       -       -       -       -       -       0.1       X         Xylidine       1300-73-8       0.5       2.5       -       -       -       X         Yttrium       7440-65-5       -       1       -       3       -       -       -         Zinc chloride fume       7646-85-7       -       1       -       2       -       -       -         Zinc chromate (as       Varies with Compound       -       0.01       -       -       0.1       -         Zinc oxide fume       1314-13-2       -       5       -       10       -       -       -       -         Zinc oxide       1314-13-2       -       5       - </td <td>red cedar)</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	red cedar)								
Xylenes (o-, m-, p- isomers       1330-20-7       100       435       150       655       -       -       X         m-Xylene α, α'- diamine       1477-55-0       -       -       -       -       -       0.1       X         Xylidine       1300-73-8       0.5       2.5       -       -       -       X         Yttrium       7440-65-5       -       1       -       3       -       -       -       X         Zinc chloride fume       7646-85-7       -       1       -       2       - <td>Wood dust,</td> <td>-</td> <td>-</td> <td>2.5</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td> <td>-</td>	Wood dust,	-	-	2.5	-	-	-	-	-
isomers	Western red cedar								
m-Xylene α, α'- diamine  Xylidine  1300-73-8  0.5  2.5  X  Yttrium  7440-65-5  - 1 - 2inc chloride fume  7646-85-7  Compound  Zinc oxide fume  1314-13-2  Total dust Respirable fraction  Zinc stearate Total dust Respirable fraction  Zirconium compounds  7440-67-2	Xylenes (o-, m-, p-	1330-20-7	100	435	150	655	-	-	X
Market   M	isomers								
Xylidine       1300-73-8       0.5       2.5       -       -       X         Yttrium       7440-65-5       -       1       -       3       -       -       -         Zinc chloride fume       7646-85-7       -       1       -       2       -       -       -         Zinc chromate (as Compound       Varies with Compound       -       0.01       -       -       -       0.1       -         Zinc oxide fume       1314-13-2       -       5       -       10       -	m-Xylene α, α'-	1477-55-0	-	-	-	-	-	0.1	Х
Yttrium       7440-65-5       -       1       -       3       -       -       -         Zinc chloride fume       7646-85-7       -       1       -       2       -       -       -         Zinc chromate (as       Varies with Compound       -       0.01       -       -       -       -       0.1       -         Cr03)       Compound       -       5       -       10       -       -       -       -       -         Zinc oxide       1314-13-2       -       5       -       10       -	diamine								
Zinc chloride fume 7646-85-7 - 1 - 2 Zinc chromate (as Varies with Compound 2 - 5 - 10	Xylidine	1300-73-8	0.5	2.5	-		-	-	Х
Zinc chromate (as Cr03)       Varies with Compound       -       0.01       -       -       0.1       -         Zinc oxide fume       1314-13-2       -       5       -       10       -       -       -         Zinc oxide       1314-13-2       -       10       -       -       -       -       -         Total dust Respirable fraction       -       557-05-1       - <td>Yttrium</td> <td>7440-65-5</td> <td>-</td> <td>1</td> <td>-</td> <td>3</td> <td>-</td> <td>-</td> <td>-</td>	Yttrium	7440-65-5	-	1	-	3	-	-	-
Cr03)       Compound       1314-13-2       5       -       10       -       -       -         Zinc oxide       1314-13-2       -       10       - </td <td>Zinc chloride fume</td> <td>7646-85-7</td> <td>-</td> <td>1</td> <td>-</td> <td>2</td> <td>-</td> <td>-</td> <td>-</td>	Zinc chloride fume	7646-85-7	-	1	-	2	-	-	-
Zinc oxide fume 1314-13-2 - 5 - 10	Zinc chromate (as	Varies with	-	0.01	-	-	-	0.1	-
Zinc oxide	Cr03)	Compound							
Total dust	Zinc oxide fume	1314-13-2	-	5	-	10	-	-	-
Respirable fraction       -       5       -	Zinc oxide	1314-13-2							
Zinc stearate 557-05-1	Total dust		-	10	-	-	-	-	=
Total dust	Respirable fraction		_	5	_	-	-	_	_
Respirable fraction         -         5         -	Zinc stearate	557-05-1							
Zirconium compounds 7440-67-2 - 5 - 10	Total dust		-	10	_	20	-	_	_
	Respirable fraction		-	5	-	-	-	-	-
(as Zr)	Zirconium compounds	7440-67-2	-	5	-	10	-	-	-
	(as Zr)								

Footnotes to Table 202-1:

Air Contaminant Rule Limits are the most restrictive of the federal limits, ACGIH limits and existing DOSH limits.

- \* The PEL-TWA's are 7- to 8-hour TWA's, unless otherwise noted.
- \*\* Unless otherwise noted, employers in General Industry (i.e., those covered by Part 2 of the DOSH standards) may use any combination of controls to achieve these limits, until December 31, 1992.
- a. STEL duration is for 15 minutes, unless otherwise noted.
- b. The CAS number is for information only. Enforcement is based on the substance name. For an entry covering more than one metal compound measured as the metal, the CAS number for the metal is given--not the CAS numbers for the

- individual compounds.
- c. Ppm are in parts of vapor or gas per million parts of contaminated air by volume at 25°C and 760 torr.
- d. Mg/m<sup>3</sup> are approximate milligrams of substance per cubic meter of air.
- e. The final benzene standard in section 12-202-36 applies to all occupational exposures to benzene except some sub segments of industry where exposures are consistently under the action level (e.g., distribution and sale of fuels, sealed containers and pipelines, coke production, oil and gas drilling and production, natural gas processing, and the percentage exclusion for liquid mixtures); for the excepted sub segments, the benzene limits in Table 202-2 apply.
- f. Coal tar pitch volatiles mean the fused polycyclic hydrocarbons that volatilize from the distillation residues of coal, petroleum, (excluding asphalt, CAS 8052-42-4 and CAS 64742-93-4), wood, and other organic matter.
- g. Cotton dust refers to lint-free dust as measured by the vertical elutriator, cotton-dust sampler described in the Transactions of the National Conference on Dust, p. 33 by J.R. Lynch, (May 2, 1970). The PEL-TWA in the table applies to respirable dust as measured by a vertical elutriator cotton dust sampler or equivalent instrument. The time-weighted average applies to the cotton waste processing operations of waste cycling (sorting, blending, cleaning, and willowing) and garreting. See also section 12-202-32.
- h. Fibrous glass dust means particles <7 \mum in diameter.
- i. Oil mist as sampled by a method that does not collect vapor.
- j. Compliance with the Subtilisins PEL-TWA is assessed by sampling with a high volume sampler (600-800 liters per minute) for at least 60 minutes.
- k. For control of tetraethyl lead and tetramethyl lead in general room air, biologic monitoring is essential for personnel monitoring.
- 1. Most Occupational exposures to EGDN actually involve mixtures of EGDN and nitroglycerin (NG). This EGDN:NG mixture has a PEL-STEL of 0.1 mg/m<sup>3</sup>.
- m. See Table Z-2 from the exposure limits for any operations or sectors where the exposure limits in §1910.1026 are stayed or otherwise not in effect.
- n. If the exposure limit in §1910.1026 is stayed or is otherwise not in effect, the exposure limit is ceiling of 0.1 mg/m³.

#### TABLE 202-2

Material	Industry Segments	Skin Design- nation	8-hour time- Weighted average	Ceiling Concentra- tion
Benzene	$(Z37.40 -1969)^{1}$	-	10 ppm	25ppm
Beryllium and	(Z37.29-1970)			
Beryllium compounds		-	2 μg/m <sup>3</sup>	5 μg/m <sup>3</sup>
Chromic acid and Chromates (as CrO <sub>3</sub> ) <sup>2</sup>	(Z37.7-1971)			1mq/10m <sup>3</sup>
Ethylene dibromide	(Z37.31-1970)	Х	20 ppm	30 ppm
Methyl chloride	(Z37.18-1969)		100 ppm	200 ppm

<sup>1</sup>This standard applies to the industry segments exempt from the 1 ppm 8-hour TWA and 5 ppm STEL of the benzene standard at section 12-202-36. This standard also applies to any industry for which section 12-202-36 is stayed or otherwise not in effect.

<sup>2</sup>This standard applies to any operations or sectors for which the Hexavalent Chromium standard, 1910.1026 is stayed or otherwise is not in effect." [Eff 3/22/91; am 6/8/92; am 5/2/97; am 4/11/98; am ] (Auth: HRS §396-4) (Imp: HRS §396-4)

- 21. Section 12-202-14.1, Hawaii Administrative Rules, is amended to read as follows:
- "§12-202-14.1 13 Carcinogens (4-Nitrobiphenyl, etc). (a) Incorporation of federal standard. Title 29, Code of Federal Regulations, section 1910.1003, entitled "13 Carcinogens (4-Nitrobiphenyl, etc)", published by the Office of the Federal Register, National Archives and Records Administration, on March 7, 1996, and the amendments published on June 20, 1996; January 8, 1998; April 23, 1998; January 5, 2005[,]; and April 3, 2006, are made a part of this section, except as provided in subsection (b).
- (b) Definitions. As used in 29 CFR section 1910.1003 and applied to this section:
  - "§1910.20" means §12-202-3.
  - "§1910.134" means §12-64.1-2.
  - "§1910.141" means chapter 12-67.
- "OSHA Area Director" means the director of the department of labor and industrial relations or the director's designee." [Eff 11/16/96; am 2/8/97; am 7/6/98; am 3/31/06; am ] (Auth: HRS §396-4) (Imp: HRS §396-4)
- 22. Section 12-202-28.1, Hawaii Administrative Rules, is amended to read as follows:
- "§12-202-28.1 Vinyl Chloride. (a) Incorporation of federal standard. Title 29, Code of Federal Regulations, section 1910.1017, entitled "Vinyl Chloride", published by the Office of the Federal Register, National Archives and Records Administration, on October 4, 1974; and the amendments published

- on December 3, 1974; March 25, 1975; Redesignated May 28, 1975; Amendments October 24, 1975; May 23, 1980; June 7, 1989; June 30, 1993; February 13, 1996; January 8, 1998; June 18, 1998; [and] January 5, 2005[,]; and April 3, 2006, are made a part of this section, except as provided in subsection (b).
- (b) Definitions. As used in 29 CFR section 1910.1017 and applied to this section:

"§1910.20" means section 1910.20 in section 12-202-3."
[Eff 7/6/98; am 3/29/99; am 3/31/06; am ] (Auth: HRS §396-4) (Imp: HRS §396-4)

Historical note: §12-202-28.1 is based substantially upon section 12-202-28. [Eff 7/12/82; R 7/6/98]

23. Section 12-202-29.1, Hawaii Administrative Rules, is amended to read as follows:

# "§12-202-29.1 1,2-Dibromo-3-Chloropropane.

- (a) Incorporation of federal standard. Title 29, Code of Federal Regulations, section 1910.1044, entitled "1,2-Dibromo-3-Chloropropane", published by the Office of the Federal Register, National Archives and Records Administration, on March 17, 1978 and the amendments published on May 23, 1980; April 30, 1984; June 7, 1989; June 30, 1993; February 13, 1996; January 8, 1998; [and] January 5, 2005[,]; and April 3, 2006, are made a part of this section, except as provided in subsection (b).
- (b) Definitions. As used in 29 CFR section 1910.1044 and applied to this section:

"§1910.20" means section 1910.20 in section 12-202-3.

"§1910.134" means section 1910.134 in section 12-64.1-1.

"§1910.141" means section 1910.141 in Chapter 12-67."

[Eff 7/6/98; am 3/31/06; am ] (Auth: HRS §396-4)

(Imp: HRS §396-4)

<u>Historical note</u>: §12-202-29.1 is based substantially upon section 12-202-29." [Eff 7/12/82; R 7/6/98]

- 24. Section 12-202-30.1, Hawaii Administrative Rules, is amended to read as follows:
- "§12-202-30.1 Acrylonitrile. (a) Incorporation of federal standard, Title 29, Code of Federal Regulations, section 1910.1045, entitled "Acrylonitrile", published by the Office of the Federal Register, National Archives and Records Administration, on October 3, 1978; and the amendments published on May 23, 1980; June 7, 1989; June 30, 1993; February 13, 1996; January 8, 1998; April 23, 1998; [and] January 5, 2005[,]; and April 3, 2006, are made a part of this section, except as provided in subsection (b).
- (b) Definitions. As used in 29 CFR section 1910.1045 and applied to this section:

"§1910.20" means section 1910.20 in section 12-202-3.

```
"§1910.132" means section 1910.132 in section 12-64.1-1.

"§1910.133" means section 1910.133 in section 12-64.1-1.

"§1910.141" means section 1910.141 in chapter 12-67."

[Eff 7/6/98; am 3/29/99; am 3/31/06; am ] (Auth:

HRS §396-4) (Imp: HRS §396-4)
```

Historical note: §12-202-30.1 is based substantially upon section 12-202-30. [Eff 7/12/82; R 7/6/98]

- 25. Section 12-202-31.1, Hawaii Administrative Rules, is amended to read as follows:
- "§12-202-31.1 Inorganic arsenic. (a) Incorporation of federal standard. Title 29, Code of Federal Regulations, section 1910.1018, entitled "Inorganic Arsenic", published by the office of the federal Register, National Archives and Records Administration, on May 5, 1978; and the amendments published on June 30, 1978; May 23, 1980; June 2, 1989; June 30, 1993; February 13, 1996; March 2, 1996; January 8, 1998; June 18, 1998; [and] January 5, 2005[,]; and April 3, 2006, are made a part of this section, except as provided in subsection (b).
- (b) Definitions. As used in 29 CFR section 1910.1018 and applied to this section:

"§1910.20" means section 1910.20 in section 12-202-3.

"§1910.133" means section 1910.133 in section 12-64.1-1.

"§1910.134" means section 1910.134 in section 12-64.1-1.

"§1910.141" means section 1910.141 in chapter 12-67." [Eff 7/6/98; am 3/29/99; am 3/31/06; am ] (Auth: HRS §396-4) (Imp: HRS §396-4)

<u>Historical note</u>: §12-202-31.1 is based substantially upon section 12-202-31. [Eff 7/12/82; R 7/6/98]

- 26. Section 12-202-32.1, Hawaii Administrative Rules, is amended to read as follows:
- "§12-202-32.1 Cotton dust. (a) Incorporation of federal standard. Title 29, Code of Federal Regulations, section 1910.1043, entitled "Cotton dust", published by the Office of the Federal Register, National Archives and Records Administration on, June 23, 1978; and the amendments published on June 30, 1978; August 8, 1978; December 5, 1978; February 26, 1980; May 23, 1980; October 10,1980; December 13, 1985; July 3, 1986; June 7, 1989; February 13, 1996; January 8, 1998; December 7, 2000 [and] January 5, 2005[,]; and April 3, 2006, are made a part of this section, except as provided in subsection (b).
- (b) Definitions. As used in 29 CFR section 1910.1043 and applied to this section:

"§1910.20" means section 1910.20 in section 12-202-3." [Eff 7/6/98; am 12/29/01; am 3/31/06; am ] (Auth: HRS §396-4) (Imp: HRS §396-4)

- <u>Historical note</u>: §12-202-32.1 is based substantially upon section 12-202-32. [Eff 7/12/82, am 8/5/88; R 7/6/98]
- 27. Section 12-202-33.1, Hawaii Administrative Rules, is amended to read as follows:
- "§12-202-33.1 Lead. (a) Incorporation of federal standard. Title 29[.], Code of Federal Regulations, section 1910.1025, entitled "Lead", published by the Office of the Federal Register, National Archives and Records Administration, [and published] on November 14,1978; and the amendments published on October 23, 1979; November 30, 1979; November 12, 1982; March 8, 1983; April 30, 1984; May 31, 1991; October 11, 1995; January 8, 1998; April 23, 1998; [and] January 5, 2005[,]; and April 3, 2006, are made a part of this section, except as provided in subsection (b).
- (b) Definitions. As used in 29 CFR section 1910.1025 and applied to this section:
  - "§1910.133" means section 1910.133 in chapter 12-64.1.
  - "§1910.141" means chapter 12-67.
  - "29 CFR 1910.134" means section 12-64.1-2.
  - "29 CFR 1910.20" means section 12-202-3.
- "Assistant Secretary" means the director, department of labor and industrial relations, or the director's designee.
- "OSHA" means occupational safety and health division, State of Hawaii." [Eff 9/21/96; am 2/8/97; am 7/6/98; am 3/29/99; am 3/31/06; am ] (Auth: HRS §396-4) (Imp: HRS §396-4)
- <u>Historical note</u>: Section 12-202-33.1 is based substantially upon section 12-202-33. [Eff 7/12/82; am 12/6/82; am 5/28/83; am 8/5/88; am 3/22/91; R 9/21/96]
- 28. Section 12-202-35.1, Hawaii Administrative Rules, is amended to read as follows:
- "§12-202-35.1 Ethylene oxide. (a) Incorporation of federal
  standard. Title 29, Code of Federal Regulations, section
  1910.1047, entitled "Ethylene Oxide", published by the Office of
  the Federal Register, National Archives and Records
  Administration, on June 22, 1984; and the amendments published on
  March 12, 1985; October 11, 1985; July 10,1986; April 5, 1988;
  July 26, 1988; June 7, 1989; February 13, 1996; January 8, 1998;
  November 7, 2002; [and] January 5, 2005[,]; and April 3, 2006,
  are made a part of this section, except as provided in subsection
  (b).
- (b) Definitions. As used in 29 CFR section 1910.1047 and applied to this section:
  - "§1910.20" means section 1910.20 in section 12-202-3.
  - "§1910.132" means section 1910.132 in section 12-64.1-1.
- "§1910.134" means section 1910.134 in section 12-64.1-1."
  [Eff 7/6/98; am 5/21/04; am 3/31/06; am ] (Auth: HRS §396-4) (Imp: HRS §396-4)

<u>Historical note</u>: §12-202-35.1 is based substantially upon section 12-202-35. [Eff 6/16/84, am 8/5/88; R 7/6/98]

- 29. Section 12-202-36.1, Hawaii Administrative Rules, is amended to read as follows:
- "§12-202-36.1 Benzene. (a) Incorporation of federal standard. Title 29, Code of Federal Regulations, section 1910.1028, entitled "Benzene", published by the Office of the Federal Register, National Archives and Records Administration, on September 11, 1987; and the amendments published on June 7, 1989; December 13, 1996; January 8, 1998; April 23, 1998; [and] January 5, 2005[,]; and April 3, 2006, are made a part of this section, except as provided in subsection (b).
- (b) Definitions. As used in 29 CFR section 1910.1028 and applied to this section:

"§1910.20" means section 1910.20 in section 12-202-3.

"§1910.133" means section 1910.133 in section 12-64.1-1.

"§1910.134" means section 1910.134 in section 12-64.1-1.

"§1910.1200" means section 1910.1200 in chapter 12-203.1." [Eff 7/6/98; am 3/31/06; am ] (Auth: HRS §396-4) (Imp: HRS §396-4)

<u>Historical note</u>: §12-202-36.1 is based substantially upon section 12-202-36. [Eff 11/24/88; R 7/6/98;]

- 30. Section 12-202-37.1, Hawaii Administrative Rules, is amended to read as follows:
- "§12-202-37.1 Formaldehyde. (a) Incorporation of federal standard. Title 29, Code of Federal Regulations, section 1910.1048, entitled "Formaldehyde", published by the Office of the Federal Register, National Archives and Records Administration, on December 4, 1987; and the amendments published on March 2, 1988; November 8, 1988; December 13, 1988; June 7, 1989; July 13, 1989; August 1, 1989; June 13, 1990; May 27, 1992; June 10, 1992; February 13, 1996; January 8, 1998; April 23, 1998; [and] January 5, 2005[,]; and April 3, 2006, are made a part of this section, except as provided in subsection (b).
- (b) Definitions. As used in 29 CFR section 1910.1048 and applied to this section:

"§1910.20" means section 1910.20 in section 12-202-3.

"§1910.132" means section 1910.132 in section 12-64.1-1.

"§1910.133" means section 1910.133 in section 12-64.1-1

"§1910.134" means section 1910.134 in section 12-64.1-1.

"§1910.1200" means section 1910.1200 in chapter 12-203.1." [Eff 7/6/98; am 3/31/06; am ] (Auth: HRS §396-4) (Imp: HRS §396-4)

<u>Historical note</u>: §12-202-37.1 is based substantially upon section 12-202-37.7 [Eff 11/24/88, am 3/22/91, am 6/8/92,

## 12/5/92; R 7/6/98]

- 31. Section 12-202-38, Hawaii Administrative Rules, is amended to read as follows:
- "§12-202-38 4,4-Methylenedianiline. (a) Incorporation of federal standard. Title 29, Code of Federal Regulations, section 1910.1050, entitled [Methylenedianiline,] "Methylenedianiline", published by the Office of the Federal Register, National Archives and Records Administration, on August 10, 1992, and the amendments published on January 8, 1998; April 23, 1998; [and] November 7, 2002[,]; and April 3, 2006, are made a part of this section, except as provided in subsection (b).
- (b) Definitions. As used in 29 CFR 1910.1050 and applied to this section:

"Act" means chapter 396, Hawaii Revised Statutes.

"Assistant Secretary" means the director of the department of labor and industrial relations, State of Hawaii.

"OSHA" means occupational safety and health division, State of Hawaii.

"Startup dates" means six months following the dates listed in paragraph (r) of 29 CFR 1910.1050.

- "29 CFR 1910.12(b)" means section 12-50-2.
- "29 CFR 1910.20" means section 12-202-3.
- "29 CFR 1910.38" means chapter 12-71.1.
- "29 CFR 1910.133" means section 1910.133 in chapter 12-64.1.
- "29 CFR 1910.134" means section 12-64.1-2.
- "29 CFR 1910.141" means chapter 12-67.2
- "29 CFR 1910.1200" means chapter 12-203.1." [Eff 2/26/93; am 9/21/96; am 7/6/98; am 5/21/04; am ]
  (Auth: HRS §396-4) (Imp: HRS §396-4)
- 32. Section 12-202-39, Hawaii Administrative Rules, is amended to read as follows:
- "§12-202-39 Cadmium. (a) Incorporation of federal standard. Title 29, Code of Federal Regulations, section 1910.1027, entitled "Cadmium", published by the Office of the Federal Register, National Archives and Records Administration, on September 14, 1992, and the amendments published [by the Office of the Federal Register, National Archives and Records Administration,] on April 23, 1993, January 8, 1998; [and] January 5, 2005[,]; and April 3, 2006, are made a part of this section, except as provided in subsection (b).
- (b) Definitions. As used in 29 CFR 1910.1027 and applied to this chapter:

"Assistant Secretary" means the director of the department of labor and industrial relations, State of Hawaii.

"Effective date" means March 14, 1993.

"OSHA" means occupational safety and health division, State of Hawaii.

"OSH Act" means chapter 396, Hawaii Revised Statutes.

"Startup dates" means six months following the dates listed in paragraph (p) of 29 CFR 1910.1027.

"29 CFR 1910.20" means section 12-202-3.

"29 CFR 1910.133" means section 1910.133 in chapter 12-64.1.

- "29 CFR 1910.134" means section 12-64.1-2.
- "29 CFR 1910.141" means chapter 12-67.
- "29 CFR 1910.1200" means chapter 12-203.1." [Eff 2/26/93; am 11/5/93; am 9/21/96; am 7/6/98; am 3/31/06; am [ (Auth: HRS §396-4) (Imp: HRS §396-4)
- 33. Section 12-202-40, Hawaii Administrative Rules, is amended to read as follows:
- "§12-202-40 1,3-Butadiene. (a) Incorporation of [the]
  federal standard. Title 29, Code of Federal Regulations, section
  1910.1051, entitled "1,3-Butadiene", published by the Office of
  the Federal Register, National Archives [and published] and
  Records Administration, on November 4, 1996, and the amendments
  published [by the Office of the Federal Register, National
  Archives and Records Administration,] on January 8, 1998;
  November 7, 2002; [and] January 5, 2005[,]; and April 3, 2006,
  are made a part of this section, except as provided in subsection
  (b).
- (b) Definitions. As used in 29 CFR 1910.1051 and applied to this section:
  - "29 CFR 1910.20" means section 12-202-3.
  - "29 CFR 1910.38" means chapter 12-71.1.
  - "29 CFR 1910.106" means chapter 12-74.1.
  - "29 CFR 1910.120" means chapter 12-74.1.
  - "29 CFR 1910.133" means section 1910.133 in chapter 12-64.1.
  - "29 CRF 1910.134" means section 1910.134 in chapter 12-64.1.
- "29 CFR 1910.1200" means section 1910.1200 in chapter 12-203.1.
- "29 CFR 1926.59" means section 1910.1200 in chapter 12-203.1.
- "Assistant Secretary" means the director of the department of labor." [Eff 5/2/97; am 7/6/98; am 5/21/04; am 3/31/06; am ] (Auth: HRS §396-4) (Imp: HRS §396-4)
- 34. Section 12-202-41, Hawaii Administrative Rules, is amended to read as follows:
- "§12-202-41 Methylene Chloride. (a) Incorporation of federal standard. Title 29, Code of Federal Regulations, section 1910.1052, entitled "Methylene Chloride", published by the Office of the Federal Register, National Archives and Records Administration, on January 10, 1997; and the amendments published on August 8, 1997; September 15, 1997; October 20, 1997; December 18, 1997; January 8, 1998; April 23, 1998; [and] September 22, 1998[,]; and April 3, 2006, are made a part of this section, except as provided in subsection (b).
  - (b) Definitions. As used in 29 CFR 1910.1052 and applied

to this section:

- "29 CFR 1910.120" means chapter 12-99.1.
- "29 CFR 1910.133" means section 1910.133 in chapter 12-64.1.
- "29 CFR 1910.134" means section 1910.134 in chapter 12-64.1.
- "29 CFR 1910.307" means section 12-89-8.
- "29 CFR 1910.141" means chapter 12-67.
- "29 CFR 1910.1000" means section 12-202-4.02.
- "29 CFR 1910.1020" means section 12-202-3.
- "29 CFR 1910.1200" means section 1910.1200 in chapter 12-203.1.
- "29 CFR 1926.59" means section 1910.1200 in chapter 12-203.1.
- "Assistant Secretary" means the director of the department of labor." [Eff 7/10/97; am 4/11/98; am 7/6/98; am ] (Auth: HRS §396-4) (Imp: HRS §396-4)
- 35. Chapter 12-202, Hawaii Administrative Rules, is amended by adding a new section 12-202-42 to read as follows:
- 36. Section 12-205.1-1, Hawaii Administrative Rules, is amended to read as follows:
- 37. Section 12-206-1, Hawaii Administrative Rules, is amended to read as follows:
- "§12-206-1 Incorporation of federal standard. Title 29, Code of Federal Regulations, section 1910.1001, entitled "Asbestos", published by the Office of the Federal Register, National Archives and Records Administration, on June 20, 1986; and the amendments published on October 17, 1986; May 12, 1987; September 14, 1988; June 7, 1989; July 13, 1989; December 20, 1989; February 5, 1990; August 24, 1990;

- 38. Material, except source notes, to be repealed is bracketed. New material is underscored.
- 39. Additions to update source notes to reflect these amendments are not underscored.

40. These amendments to chapters 12-64.1, 12-73.1, 12-74.1, 12-77.1, 12-97.1, 12-128.1, 12-133.2, 12-134.1, 12-145.1, 12-146, 12-147, 12-148.1, 12-156, 12-170, 12-180, 12-190, 12-200.1, 12-202, 12-205.1, and 12-206, Hawaii Administrative Rules, shall take effect ten days after filing with the Office of the Lieutenant Governor.

I certify that the foregoing are copies of the rules, drafted in the Ramseyer format pursuant to the requirements of section 91-4.1, Hawaii Revised Statutes, which were adopted on , and filed with the Office of the Lieutenant Governor.

NELSON B. BEFITEL, DIRECTOR
Department of Labor and
Industrial Relations

APPROVED AS TO FORM:

Deputy Attorney General